# antibodies .- online.com





# Datasheet for ABIN7538115

# **HTR2C Protein**



### Overview

Quantity:	50 μg
Target:	HTR2C
Origin:	Human
Source:	Mammalian Cells
Protein Type:	Synthetic Nanodisc

### **Product Details**

Purpose:	Human 5HT2C full length protein-synthetic nanodisc
Characteristics:	Unlike other membrane scaffold protein (MSP) Nanodisc on the market, our synthetic Nanodisc
	can be prepared directly from the cells. The polymers used during this process have a dual
	function. It dissolves the cell membranes, like the detergent, and uses cellular phospholipids to
	form Nanodisc around the membrane proteins. The target protein embedded Nanodiscs can
	then be purified.

# **Target Details**

Target:	HTR2C
Alternative Name:	5HT2C (HTR2C Products)
Background:	This gene encodes a seven-transmembrane G-protein-coupled receptor. The encoded protein responds to signaling through the neurotransmitter serotonin. The mRNA of this gene is subject to multiple RNA editing events, where adenosine residues encoded by the genome are converted to inosines. RNA editing is predicted to alter the structure of the second intracellular loop, thereby generating alternate protein forms with decreased ability to interact with G

	proteins. Abnormalities in RNA editing of this gene have been detected in victims of suicide that
	suffer from depression. In addition, naturally-occuring variation in the promoter and 5' non-
	coding and coding regions of this gene may show statistically-significant association with
	mental illness and behavioral disorders. Alternative splicing results in multiple different
	transcript variants. [provided by RefSeq, Jan 2015]
Molecular Weight:	The human full length 5HT2C protein has a MW of 51.8kDa
UniProt:	P28335
Pathways:	Inositol Metabolic Process, Regulation of Carbohydrate Metabolic Process, Feeding Behaviour

## **Application Details**

Comment:

Advantages of Synthetic Nanodiscs:

- · Highly purified membrane proteins
- · High solubility in aqueous solutions
- High stability
- · Proteins are in a native membrane environment and remain biologically active
- · No detergent and can be used for cell-based assays
- No MSP backbone proteins

Limitations of Synthetic Nanodiscs:

• Intolerant to acids and high concentrations of divalent metal ions

Restrictions:

For Research Use only

# Handling

Format:	Lyophilized
Buffer:	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0).  Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).  Lyophilized proteins are shipped at ambient temperature.
Expiry Date:	12 months