# antibodies -online.com





#### Datasheet for ABIN7538295

### **Galanin Receptor 1 Protein (GALR1)**



#### Overview

Quantity:	50 μg
Target:	Galanin Receptor 1 (GALR1)
Origin:	Human
Source:	Mammalian Cells
Protein Type:	Synthetic Nanodisc

#### **Product Details**

Purpose:	Human GALR1 full length protein-synthetic nanodisc
Characteristics:	Unlike other membrane scaffold protein (MSP) Nanodisc on the market, our synthetic Nanodisc
	can be prepared directly from the cells. The polymers used during this process have a dual
	function. It dissolves the cell membranes, like the detergent, and uses cellular phospholipids to
	form Nanodisc around the membrane proteins. The target protein embedded Nanodiscs can
	then be purified.

#### **Target Details**

Target:	Galanin Receptor 1 (GALR1)
Alternative Name:	GALR1 (GALR1 Products)
Background:	The neuropeptide galanin elicits a range of biological effects by interaction with specific G-protein-coupled receptors. Galanin receptors are seven-transmembrane proteins shown to activate a variety of intracellular second-messenger pathways. GALR1 inhibits adenylyl cyclase via a G protein of the Gi/Go family. GALR1 is widely expressed in the brain and spinal cord, as well as in peripheral sites such as the small intestine and heart. [provided by RefSeq, Jul 2008]

#### **Target Details**

Molecular Weight:	The human full length GALR1 protein has a MW of 39kDa
UniProt:	P47211
Pathways:	cAMP Metabolic Process

UniProt:	P47211
Pathways:	cAMP Metabolic Process
Application Details	
Comment:	Advantages of Synthetic Nanodiscs:
	<ul><li>Highly purified membrane proteins</li><li>High solubility in aqueous solutions</li><li>High stability</li></ul>
	Proteins are in a native membrane environment and remain biologically active
	<ul><li>No detergent and can be used for cell-based assays</li><li>No MSP backbone proteins</li></ul>
	Limitations of Synthetic Nanodiscs:
	Intolerant to acids and high concentrations of divalent metal ions
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Buffer:	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0).
	Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended fo

## Storage Comment: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.