antibodies

## Datasheet for ABIN7538521 Serotonin Receptor 1E Protein (HTR1E)



Overview

Quantity:	50 µg
Target:	Serotonin Receptor 1E (HTR1E)
Origin:	Human
Source:	Mammalian Cells
Protein Type:	Synthetic Nanodisc

## **Product Details**

Purpose:	Human 5HT1E full length protein-synthetic nanodisc
Characteristics:	Unlike other membrane scaffold protein (MSP) Nanodisc on the market, our synthetic Nanodisc
	can be prepared directly from the cells. The polymers used during this process have a dual
	function. It dissolves the cell membranes, like the detergent, and uses cellular phospholipids to
	form Nanodisc around the membrane proteins. The target protein embedded Nanodiscs can
	then be purified.

## Target Details

Target:	Serotonin Receptor 1E (HTR1E)
Alternative Name:	5HT1E (HTR1E Products)
Background:	G-protein coupled receptor for 5-hydroxytryptamine (serotonin). Also functions as a receptor for various alkaloids and psychoactive substances. Ligand binding causes a conformation change
	that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the
	activity of down-stream effectors, such as adenylate cyclase. Signaling inhibits adenylate
	cyclase activity.[UniProtKB/Swiss-Prot Function]

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7538521 | 06/14/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Molecular Weight:	The human full length 5HT1E protein has a MW of 41.7kDa
UniProt:	P28566
Pathways:	JAK-STAT Signaling, cAMP Metabolic Process

## Application Details

Comment:	Advantages of Synthetic Nanodiscs:
	Highly purified membrane proteins
	High solubility in aqueous solutions
	High stability
	Proteins are in a native membrane environment and remain biologically active
	No detergent and can be used for cell-based assays
	No MSP backbone proteins
	Limitations of Synthetic Nanodiscs:
	Intolerant to acids and high concentrations of divalent metal ions
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Buffer:	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0).
	Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for
	use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).
	Lyophilized proteins are shipped at ambient temperature.
Expiry Date:	12 months