# antibodies -online.com





# Datasheet for ABIN7538526

# **SSR3 Protein**



#### Overview

Quantity:	50 μg
Target:	SSR3 (SSRg)
Origin:	Human
Source:	Mammalian Cells
Protein Type:	Synthetic Nanodisc

#### **Product Details**

Purpose:	Human SSR3 full length protein-synthetic nanodisc
Characteristics:	Unlike other membrane scaffold protein (MSP) Nanodisc on the market, our synthetic Nanodisc
	can be prepared directly from the cells. The polymers used during this process have a dual
	function. It dissolves the cell membranes, like the detergent, and uses cellular phospholipids to
	form Nanodisc around the membrane proteins. The target protein embedded Nanodiscs can
	then be purified.

## **Target Details**

Target:	SSR3 (SSRg)
Alternative Name:	SSR3 (SSRg Products)
Background:	This gene encodes a member of the somatostatin receptor protein family. Somatostatins are peptide hormones that regulate diverse cellular functions such as neurotransmission, cell proliferation, and endocrine signaling as well as inhibiting the release of many hormones and other secretory proteins. Somatostatin has two active forms of 14 and 28 amino acids. The biological effects of somatostatins are mediated by a family of G-protein coupled somatostatin

	receptors that are expressed in a tissue-specific manner. Somatostatin receptors form
	homodimers and heterodimers with other members of the superfamily as well as with other G-
	protein coupled receptors and receptor tyrosine kinases. This protein is functionally coupled to
	adenylyl cyclase. Alternate splicing results in multiple transcript variants. [provided by RefSeq,
	Jul 2013]
r Weight:	The human full length SSR3 protein has a MW of 45.8kDa

Molecular Weight:

UniProt:

P32745

# **Application Details**

Co				_ 4	٠.	
1 ()	r۲۱	r۲۱	$\omega$	nı		

Advantages of Synthetic Nanodiscs:

- · Highly purified membrane proteins
- · High solubility in aqueous solutions
- · High stability
- · Proteins are in a native membrane environment and remain biologically active
- · No detergent and can be used for cell-based assays
- · No MSP backbone proteins

Limitations of Synthetic Nanodiscs:

· Intolerant to acids and high concentrations of divalent metal ions

Restrictions:

For Research Use only

## Handling

Format:	Lyophilized
Buffer:	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0).  Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).  Lyophilized proteins are shipped at ambient temperature.
Expiry Date:	12 months