

# Datasheet for ABIN100720

# Goat anti-Human IgA (Heavy Chain) Antibody (Texas Red (TR)) - Preadsorbed



Go to Product page

Overview		
Quantity:	1 mg	
Target:	IgA	
Binding Specificity:	Heavy Chain	
Reactivity:	Human	
Host:	Goat	
Clonality:	Polyclonal	
Conjugate:	Texas Red (TR)	
Application:	Flow Cytometry (FACS), FLISA, Fluorescence Microscopy (FM)	
Product Details		
Immunogen:	Immunogen: Human IgA alpha heavy chain	
Isotype:	IgG	
Characteristics:	Concentration Definition: by UV absorbance at 280 nm	
Purification:	Preadsorption: Solid phase absorption	
Labeling Ratio:	3.1	
Target Details		
Target:	IgA	
Abstract:	IgA Products	
Target Type:	Antibody	

### **Target Details**

#### Background:

Synonyms: Goat Anti Human IgA (alpha chain) Antibody Texas Red™Conjugated, Goat Anti-Human IgA (alpha chain) Antibody Texas Red™Conjugated, Goat Anti Human IgA Antibody Texas Red™Conjugated

Background: Anti-Human IgA Texas Red Antibody generated in goat detects immunoglobulin A (alpha chain) from human. Immunoglobulin A (IgA) is an antibody that plays a critical role in mucosal immunity. IgA has two subclasses (IgA1 and IgA2) and can exist in a dimeric form called secretory IgA (sIgA). Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition.

## **Application Details**

#### Application Notes:

Application Note: Anti-Human IgA Texas Red Antibody is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.

FLISA Dilution: 1:10,000 - 1:50,000

Flow Cytometry Dilution: 1:500 - 1:2,500

IF Microscopy Dilution: 1:1,000 - 1:5,000

#### Comment:

Texas Red™ is a registered trademark of Molecular Probes Inc.

Restrictions:

For Research Use only

## Handling

Format:	Liquid	
Concentration:	1.1 mg/mL	
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Preservative: 0.01 % (w/v) Sodium Azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Product is photosensitive and should be protected from light.	

# Handling

Storage:	RT,4 °C,-20 °C	
Expiry Date:	12 months	