antibodies -online.com





Goat anti-Mouse IgA, IgG, IgM (Heavy & Light Chain) Antibody - Preadsorbed



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Overview	
Quantity:	2 mg
Target:	IgA, IgG, IgM
Binding Specificity:	Heavy & Light Chain
Reactivity:	Mouse
Host:	Goat
Clonality:	Polyclonal
Application:	ELISA, Immunohistochemistry (IHC), Western Blotting (WB), Lateral Flow (LF)
Product Details	

Immunogen:	nunogen: Immunogen: Mouse IgG IgA and IgM whole molecule	
Isotype:	IgG	
Specificity: IgG IgA IgM		
Cross-Reactivity:	s-Reactivity: Mouse (Murine)	
Characteristics:	Anti-Mouse IgG IgA and IgM whole molecule antibody generated in goat detects specifically Mouse IgG IgA and IgM whole molecules. This secondary antibody anti-Mouse is ideal for investigators who routinely perform ELISA, Sandwich ELISA, titration assays, western-blot, immunoprecipitation and more generally immunoassays. Anti-Mouse IgG IgA IgM (H&L) Antibody is ideal for researchers in Cancer, Immunology, and Microbiology research.	
Purification:	Preadsorption: Solid phase absorption	
Sterility:	Sterile filtered	

Target Details

Target: IgA	A, IgG, IgM	
Alternative Name: Ig0	IgG IgA IgM (IgA, IgG, IgM Products)	
Target Type: An	Antibody	
Se Ba sp ide blo	condary Antibody, Goat anti-mouse IgG IgA IgM antibody, goat anti-mouse IgGAM antibody ackground: Anti-Mouse IgG IgA and IgM whole molecule antibody generated in goat detects pecifically Mouse IgG IgA and IgM whole molecules. This secondary antibody anti-Mouse is leal for investigators who routinely perform ELISA, Sandwich ELISA, titration assays, westernot, immunoprecipitation and more generally immunoassays. Anti-Mouse IgG IgA IgM (H&L) intibody is ideal for researchers in Cancer, Immunology, and Microbiology research.	

Application Details

Application Notes:	Immunohistochemistry Dilution: 1:1,000 - 1:5,000	
	Application Note: Anti-Mouse IgG IgA IgM (H&L) Antibody is suitable for immunoprecipitation,	
	immunodiffusion, conjugation and most immunological methods requiring lot-to-lot	
	consistency, high titer and specificity. Specific conditions for reactivity and signal detection	
	should be optimized by the end user.	

ELISA Dilution: 1:20,000 - 1:50,000

Western Blot Dilution: 1:2,000 - 1:10,000

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1.99 mg/mL
Buffer:	Buffer: 0.125 M Sodium Borate, 0.075 M Sodium Chloride, 0.005 M EDTA, pH 8.0 Stabilizer: None Preservative: 0.01 % (w/v) Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C

1 1		- 11		
Н	lan	ıaı	IIn	n

Expiry Date:

12 months