# antibodies -online.com



Datasheet for ABIN101193

## Donkey anti-Goat IgG (Heavy & Light Chain) Antibody (TRITC) - Preadsorbed



Go to Product page

### 1 Publication

#### 1 ablication

Overview	
Quantity:	1 mg
Target:	IgG
Binding Specificity:	Heavy & Light Chain
Reactivity:	Goat
Host:	Donkey
Clonality:	Polyclonal
Conjugate:	TRITC
Application:	Flow Cytometry (FACS), FLISA, Fluorescence Microscopy (FM)
Product Details	
Immunogen:	Immunogen: Goat IgG whole molecule
Isotype:	IgG
Specificity:	IgG (H&L)
Characteristics:	Concentration Definition: by UV absorbance at 280 nm
Purification:	Preadsorption: Solid phase absorption
Labeling Ratio:	3.7
Target Details	
Target:	IgG
Abstract:	IgG Products

#### **Target Details**

Target Type:	Antibody
Background:	Synonyms: Donkey anti-Goat IgG Antibody Rhodamine conjugation, Donkey anti-Goat IgG
	TRITC conjugated antibody
	Background: Anti-Goat IgG Rhodamine Antibody generated in donkey detects goat IgG.
	Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G
	constitutes 75 % of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as
	well as fungi and facilitates their destruction or neutralization via agglutination (and thereby
	immobilizing them), activation of the compliment cascade, and opsinization for phagocytosis.
	The whole IgG molecule possesses both the F(c) region, recognized by high-affinity Fc receptor
	proteins, as well as the F(ab) region possessing the epitope-recognition site. Both heavy and
	light chains of the antibody molecule are present.

#### **Application Details**

Application Notes:	Application Note: This product is designed for immunofluorescence microscopy, fluorescence
	based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for
	multiplex analysis, including multicolor imaging, utilizing various commercial platforms.
	FLISA Dilution: 1:10,000 - 1:50,000
	Flow Cytometry Dilution: 1:500 - 1:2,500
	IF Microscopy Dilution: 1:1,000 - 1:5,000

Restrictions: For Research Use only

#### Handling

Format:	Lyophilized
Reconstitution:	Reconstitution Volume: 1.0 mL  Reconstitution Buffer: Restore with deionized water (or equivalent)
Concentration:	1.0 mg/mL
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Preservative: 0.01 % (w/v) Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

#### Handling

Handling Advice:	Product is photosensitive and should be protected from light.
Storage:	RT,4 °C,-20 °C
Expiry Date:	12 months
Publications	
Product cited in:	Crawford, Tempel, Streblow, Kreklywich, Smith, Picker, Nelson, Caposio: "Human
	Cytomegalovirus Induces Cellular and Humoral Virus-specific Immune Responses in
	Humanized BLT Mice." in: Scientific reports, Vol. 7, Issue 1, pp. 937, (2018) (PubMed).