# antibodies - online.com





## Rabbit anti-Guinea Pig IgG (Heavy & Light Chain) Antibody (TRITC) - Preadsorbed



$\cup$	V	er	V	ie	W
_	•	٠.	•	. ~	

Overview	
Quantity:	2 mg
Target:	IgG
Binding Specificity:	Heavy & Light Chain
Reactivity:	Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	TRITC
Application:	Flow Cytometry (FACS), FLISA, Fluorescence Microscopy (FM)
Product Details	
Immunogen:	Immunogen: Guinea Pig IgG whole molecule
Isotype:	IgG
Specificity:	IgG (H&L)
Characteristics:	Concentration Definition: by UV absorbance at 280 nm

#### Purification: Preadsorption: Solid phase absorption

2.0

#### **Target Details**

Labeling Ratio:

Target:	IgG
Abstract:	IgG Products

### **Target Details**

Target Type:	Antibody
Background:	Synonyms: rabbit Anti-Guinea Pig IgG Antibody Rhodamine Conjugated, rabbit Anti-Guinea Pig
	IgG Antibody TRITC Conjugated
	Background: Anti-Guinea Pig IgG Rhodamine Antibody generated in rabbit detects guinea pig
	IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G
	constitutes 75 % of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as
	well as fungi and facilitates their destruction or neutralization via agglutination (and thereby
	immobilizing them), activation of the compliment cascade, and opsinization for phagocytosis.
	The whole IgG molecule possesses both the F(c) region, recognized by high-affinity Fc receptor
	proteins, as well as the F(ab) region possessing the epitope-recognition site. Both heavy and
	light chains of the antibody molecule are present. Secondary Antibodies are available in a
	variety of formats and conjugate types. When choosing a secondary antibody product,
	consideration must be given to species and immunoglobulin specificity, conjugate type,
	fragment and chain specificity, level of cross-reactivity, and host-species source and fragment
	composition.
Application Details	
Application Notes:	Application Note: This product is designed for immunofluorescence microscopy, fluorescence
	based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for
	multiplex analysis, including multicolor imaging, utilizing various commercial platforms.
	FLISA Dilution: 1:10,000-1:50,000
	Flow Cytometry Dilution: 1:500 - 1:2,500
	IF Microscopy Dilution: 1:1,000-1:5,000
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Reconstitution Volume: 1.0 mL
	Reconstitution Buffer: Restore with deionized water (or equivalent)
Concentration:	2.0 mg/mL
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
	Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
	Preservative: 0.01 % (w/v) Sodium Azide

### Handling

Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Product is photosensitive and should be protected from light.
Storage:	RT,4 °C,-20 °C
Expiry Date:	12 months