

Datasheet for ABIN101325

## Rabbit anti-Guinea Pig IgG (F(ab')<sub>2</sub> Region) Antibody (TRITC) - Preadsorbed



[Go to Product page](#)

### Overview

Quantity:	2 mg
Target:	IgG
Binding Specificity:	F(ab') <sub>2</sub> Region
Reactivity:	Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	TRITC
Application:	Flow Cytometry (FACS), FLISA, Fluorescence Microscopy (FM)

### Product Details

Immunogen:	Immunogen: Guinea Pig IgG F(ab') <sub>2</sub> fragment
Isotype:	IgG
Specificity:	IgG F(ab') <sub>2</sub>
Characteristics:	Concentration Definition: by UV absorbance at 280 nm
Purification:	PreadSORPTION: Solid phase absorption
Labeling Ratio:	3.2

### Target Details

Target:	IgG
Abstract:	<a href="#">IgG Products</a>

## Target Details

---

Target Type:	Antibody
Background:	<p>Synonyms: rabbit Anti-Guinea Pig IgG F(ab')<sub>2</sub> Antibody Rhodamine Conjugated, rabbit Anti-Guinea Pig IgG Fab<sub>2</sub> Fragment Antibody TRITC Conjugated</p> <p>Background: Anti-Guinea Pig IgG F(ab')<sub>2</sub> Rhodamine Antibody generated in rabbit is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme pepsin under controlled conditions of temperature, time and pH . F(ab')<sub>2</sub> Molecules lack the Fc portion of IgG and therefore receptors that bind Guinea Pig IgG F(c) will not bind Guinea Pig IgG F(ab')<sub>2</sub> Molecules. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition.</p>

## Application Details

---

Application Notes:	<p>Application Note: This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.</p> <p>FLISA Dilution: 1:10,000 - 1:50,000</p> <p>Flow Cytometry Dilution: 1:500 - 1:2,500</p> <p>IF Microscopy Dilution: 1:1,000 - 1:5,000</p>
--------------------	--

Restrictions:	For Research Use only
---------------	-----------------------

## Handling

---

Format:	Lyophilized
Reconstitution:	<p>Reconstitution Volume: 1.0 mL</p> <p>Reconstitution Buffer: Restore with deionized water (or equivalent)</p>
Concentration:	2.0 mg/mL
Buffer:	<p>Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2</p> <p>Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free</p> <p>Preservative: 0.01 % (w/v) Sodium Azide</p>
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

## Handling

---

Handling Advice: Product is photosensitive and should be protected from light.

---

Storage: RT,4 °C,-20 °C

---

Expiry Date: 12 months