

Datasheet for ABIN101338

Rabbit anti-Guinea Pig IgG (Fc Region) Antibody (Texas Red (TR)) - Preadsorbed



Go to Product page

Overview	
Overview	
Quantity:	2 mg
Target:	IgG
Binding Specificity:	Fc Region
Reactivity:	Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Texas Red (TR)
Application:	Flow Cytometry (FACS), FLISA, Fluorescence Microscopy (FM)
Product Details	
Immunogen:	Immunogen: Guinea Pig IgG F(c) fragment
Isotype:	IgG
Specificity:	IgG F(c)
Characteristics:	Concentration Definition: by UV absorbance at 280 nm
Purification:	Preadsorption: Solid phase absorption
Labeling Ratio:	1.9
Target Details	
Target:	IgG
Abstract:	IgG Products

Target Details

Target Type:	Antibody
Background:	Synonyms: Rabbit Anti-Guinea Pig IgG F(c) Antibody Texas Red™ Conjugated, Rabbit Anti
	Guinea Pig IgG Fc Fragment Antibody Texas Red™ Conjugated, Rabbit Anti Guinea Pig IgG Fc
	Antibody Texas Red™ Conjugated
	Background: Anti-Guinea Pig IgG F(c) generated in rabbit is a proteolytic fragment of
	immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled
	conditions of temperature, time and pH . Receptors bind the Fc portion of guinea pig IgG and
	often this fragment is removed from immunoglobulins to minimize receptor binding and lower
	background reactivity.
Application Details	

Application Notes:	Application Note: This product is designed for immunofluorescence microscopy, fluorescence		
	based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for		
	multiplex analysis, including multicolor imaging, utilizing various commercial platforms.		
	FLISA Dilution: 1:10,000 - 1:50,000		
	Flow Cytometry Dilution: 1:500 - 1:2,500		
	IF Microscopy Dilution: 1:1,000 - 1:5,000		
Comment:	Texas Red™ is a registered trademark of Molecular Probes Inc.		
Restrictions:	For Research Use only		

Handling

Format:	Lyophilized
Reconstitution:	Reconstitution Volume: 1.0 mL
	Reconstitution Buffer: Restore with deionized water (or equivalent)
Concentration:	2.0 mg/mL
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
	Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
	Preservative: 0.01 % (w/v) Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Product is photosensitive and should be protected from light.

Handling

Storage:	RT,4 °C,-20 °C	
Expiry Date:	12 months	