

## Datasheet for ABIN101806

# Sheep anti-Mouse IgG (Heavy & Light Chain) Antibody (Texas Red (TR)) - Preadsorbed



Go to Product pag

# 1 Image


Overview	
Quantity:	2 mg
Target:	IgG
Binding Specificity:	Heavy & Light Chain
Reactivity:	Mouse
Host:	Sheep
Clonality:	Polyclonal
Conjugate:	Texas Red (TR)
Application:	Flow Cytometry (FACS), FLISA, Fluorescence Microscopy (FM)
Product Details	
- Toddet Details	
Immunogen:	Immunogen: Mouse IgG whole molecule
	Immunogen: Mouse IgG whole molecule  IgG
Immunogen:	
Immunogen: Isotype:	IgG
Immunogen: Isotype: Specificity:	IgG IgG (H&L)
Immunogen: Isotype: Specificity: Characteristics:	IgG IgG (H&L) Concentration Definition: by UV absorbance at 280 nm
Immunogen: Isotype: Specificity: Characteristics: Purification:	lgG (H&L)  Concentration Definition: by UV absorbance at 280 nm  Preadsorption: Solid phase absorption
Immunogen: Isotype: Specificity: Characteristics: Purification: Labeling Ratio:	IgG IgG (H&L) Concentration Definition: by UV absorbance at 280 nm Preadsorption: Solid phase absorption

# **Target Details**

Target Type:	Antibody
Background:	Synonyms: Sheep Anti-Mouse IgG Antibody Texas Red™ Conjugated, Sheep Anti Mouse IgG
	(H&L) Antibody Texas Red™ Conjugated
	Background: Anti-Mouse IgG Texas Red Antibody generated in sheep detects reactivity to
	Mouse IgG. Secreted as part of the adaptive immune response by plasma B cells,
	immunoglobulin G constitutes 75 $\%$ of serum immunoglobulins. Immunoglobulin G binds to
	viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via
	agglutination (and thereby immobilizing them), activation of the compliment cascade, and
	opsinization for phagocytosis. The whole IgG molecule possesses both the F(c) region,
	recognized by high-affinity Fc receptor proteins, as well as the F(ab) region possessing the
	epitope-recognition site. Both the Heavy and Light chains of the antibody molecule are present.
	Secondary Antibodies are available in a variety of formats and conjugate types. When choosing
	a secondary antibody product, consideration must be given to species and immunoglobulin
	specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-
	species source and fragment composition.
Application Details	
Application Notes:	Application Note: This product is designed for immunofluorescence microscopy, fluorescence
	based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for
	multiplex analysis, including multicolor imaging, utilizing various commercial platforms.
	FLISA Dilution: 1:10,000 - 1:50,000
	Flow Cytometry Dilution: 1:500 - 1:2,500
	IF Microscopy Dilution: 1:1,000 - 1:5,000
Comment:	Texas Red™ is a registered trademark of Molecular Probes Inc.
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Reconstitution Volume: 1.0 mL
	Reconstitution Buffer: Restore with deionized water (or equivalent)
Concentration:	2.0 mg/mL
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
	Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

## Handling

	Preservative: 0.01 % (w/v) Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Product is photosensitive and should be protected from light.
Storage:	RT,4 °C,-20 °C
Expiry Date:	12 months
Images	



#### **Dot Blot**

**Image 1.** Dot Blot results of Sheep Anti-Mouse IgG Antibody Texas Conjugate. Dots are Mouse IgG: (1) 100ng, (2) 33.3ng, (3) 11.1ng, (4) 3.70ng, (5) 1.23ng. Primary Antibody: none. Secondary Antibody: Sheep Anti-Mouse IgG Antibody Texas Conjugate at 1ug/mL in ABIN925618 1hr RT. Imaged with BioRad ChemiDoc, 549 filter.