antibodies -online.com





anti-PJA1 antibody (AA 285-298)



()	11/0	K\ /	iew	1
	\cup	ועוי	$\square \vee \vee$	ı

Quantity:	100 μg
Target:	PJA1
Binding Specificity:	AA 285-298
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This PJA1 antibody is un-conjugated
Application:	ELISA

Product Details

Purpose:	Praja-1 / RNF70 (aa285-298)	
Immunogen:	Peptide with sequence C-HSTSRWRDTANDNE, from the internal region of the protein sequence according to NP_660095.1, NP_001027568.1, NP_071763.2.	
Sequence:	HSTSRWRDTA NDNE	
Isotype:	IgG	
Specificity:	This antibody is expected to recognize all reported isoforms (NP_660095.1, NP_001027568.1, NP_071763.2).	
Cross-Reactivity:	Human, Mouse	
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.	

Product Details Grade: Recent **Target Details** PJA1 Target: Alternative Name PJA1 (PJA1 Products) Background: PJA1, praja ring finger 1, PRAJA1, RNF70, E3 ubiquitin-protein ligase Praja-1, OTTHUMP00000023457, OTTHUMP00000023458, OTTHUMP00000158771, RING finger protein 70, praja 1 Gene ID: 64219 NCBI Accession: NP_660095, NP_001027568, NP_071763 **Application Details** Western Blot: Preliminary experiments gave an approx 30 kDa band in Human Brain and Mouse **Application Notes:** Brain lysates after 1 µg/mL antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated Peptide ELISA: antibody detection limit dilution 1:4000. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.5 mg/mL Buffer: Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin. Sodium azide Preservative: Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Minimize freezing and thawing. Storage: -20 °C Storage Comment: Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated

at 4°C for a few weeks and still remain viable.