## antibodies -online.com









Image




$\sim$				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL	
Target:	KLH	
Reactivity:	Keyhole Limpet	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This KLH antibody is conjugated to FITC	
Application:	ELISA, Western Blotting (WB), Fluorescence Microscopy (FM)	
Product Details		
1 Toddot Botano		
Immunogen:	KLH (Keyhole Limpet Hemocyanin	
	KLH (Keyhole Limpet Hemocyanin Immunogentype:Native	
Immunogen:	Immunogentype:Native	
Immunogen: Isotype:	Immunogentype:Native	
Immunogen:  Isotype: Characteristics:	Immunogentype:Native	
Immunogen:  Isotype: Characteristics: Target Details	IgG  Concentration Definition: by UV absorbance at 280 nm	

## **Application Details**

Application Notes:	This product is designed for immunofluorescence microscopy, fluorescence based plate	
	assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex	
	analysis, including multicolor imaging, utilizing various commercial platforms.	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Restore with deionized water (or equivalent)	
Concentration:	1.0 mg/mL	
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2	
Preservative:	Sodium azide	
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C	

## **Images**



## **Western Blotting**

Image 1. Western Blot of Rabbit anti-KLH (Keyhole Limpet Hemocyanine) antibody. Lane 1: molecular weight. Lane 2: reduced KLH. Load: 1 μg. Primary antibody: KLH antibody at 1:1000 for overnight at 4°C. Secondary antibody: HRP Goatanti Rabbit secondary antibody at 1:40,000 for 45 min at RT. Block: 1% BSA-TBS overnight at 4°C. Predicted/Observed size: 350-390 kDa, 350-390 kDa for KLH. Other band(s): none.