

Datasheet for ABIN1042603
anti-HDAC3 antibody (AA 411-428)



[Go to Product page](#)

1 Image

Overview

Quantity:	0.1 mL
Target:	HDAC3
Binding Specificity:	AA 411-428
Reactivity:	Human, Mouse
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This HDAC3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Immunogen:	Human C-terminal peptide (identical in mouse). Sequence: aa 411-428 (NEFYDGDHDNDKESDVEI)
Sequence:	NEFYDGDHDN DKESDVEI
Clone:	3G6
Isotype:	IgG2a
Purification:	Protein G

Target Details

Target:	HDAC3
---------	-------

Target Details

Alternative Name:	HDAC3 (HDAC3 Products)
Background:	Synonyms: RPD3 2 antibody,HD 3 antibody,HD3 antibody,HDAC 3 antibody,HDAC3 antibody,HDAC3_HUMAN antibody,Histone deacetylase 3 (HD3) (RPD3-2) antibody,histone deacetylase 3 antibody,RPD 3 antibody,RPD3 antibody,RPD3-2 antibody,SMAP 45 antibody,SMAP45 antibody
Pathways:	Neurotrophin Signaling Pathway , Regulation of Lipid Metabolism by PPARalpha , Regulation of Muscle Cell Differentiation , Skeletal Muscle Fiber Development

Application Details

Application Notes:	Optimal antibody dilution should be determined by titration, however as a guideline start at 1:400-1:800 for western blot
Comment:	Myeloma, fusion partners: X63-Ag8.653
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Purified antibody (from supernatant) containing PBS + 0.1 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.




Image 1.