antibodies -online.com





CXCL3 Protein (AA 35-107, full length) (His tag)



Image

2

Publications



Go to Product page

<i>ا</i> ۱	1 /	\sim	rv	10	1 A
	1//	\vdash	I \/	ι⊢	1/1
\sim	٧.	\sim	1 V	-	٧ '

Quantity:	100 μg
Target:	CXCL3
Protein Characteristics:	AA 35-107, full length
Reactivity:	Please inquire
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CXCL3 protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:	ASVVTELRCQ CLQTLQGIHL KNIQSVNVRS PGPHCAQTEV IATLKNGKKA CLNPASPMVQ KIIEKILNKG STN
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	90 %

Target Details

Target:	CXCL3
Alternative Name:	C-X-C motif chemokine 3 protein (CXCL3 Products)
Background:	Ligand for CXCR2 By similarity. Has chemotactic activity for neutrophils. May play a role in
	inflammation and exert its effects on endothelial cells in an autocrine fashion. In vitro, the

Target Details

	processed form GRO-gamma(5-73) shows a fivefold higher chemotactic activity for neutrophilic granulocytes.	
Molecular Weight:	12 kD	
UniProt:	P19876	
Pathways:	Cellular Response to Molecule of Bacterial Origin, Autophagy	

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C for extended storage, conserve at -20 °C or -80 °C

Publications

Product cited in:


Burkard, Planyavsky, Kaupe, Breitwieser, Bürckstümmer, Bennett, Superti-Furga, Colinge: "Initial characterization of the human central proteome." in: **BMC systems biology**, Vol. 5, pp. 17, (2011

) (PubMed).

Durand, Angeletti, Genti-Raimondi: "GTT1/StarD7, a novel phosphatidylcholine transfer protein-like highly expressed in gestational trophoblastic tumour: cloning and characterization." in: **Placenta**, Vol. 25, Issue 1, pp. 37-44, (2004) (PubMed).

Gerhard, Wagner, Feingold, Shenmen, Grouse, Schuler, Klein, Old, Rasooly, Good, Guyer, Peck, Derge, Lipman, Collins, Jang, Sherry, Feolo, Misquitta, Lee, Rotmistrovsky, Greenhut, Schaefer, Buetow et al.: "The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). ..." in: **Genome research**, Vol. 14, Issue 10B, pp. 2121-7, (2004) (PubMed).

Images



SDS-PAGE

Image 1. Chemokine (C-X-C Motif) Ligand 3 (CXCL3) (AA 35-107), (full length) protein (His tag)