
# antibodies -online.com







# IGF2R Protein (AA 2328-2491, partial) (GST tag)

1 In

Image



**Publications** 



Go to Product page

-						
()	V	0	rv	1	е.	W

Overview	
Quantity:	100 μg
Target:	IGF2R
Protein Characteristics:	AA 2328-2491, partial
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This IGF2R protein is labelled with GST tag.
Application:	ELISA
Product Details	
Sequence:	KKERRETVIS KLTTCCRRSS NVSYKYSKVN KEEETDENET EWLMEEIQLP PPRQGKEGQE
	NGHITTKSVK ALSSLHGDDQ DSEDEVLTIP EVKVHSGRGA GAESSHPVRN AQSNALQERE
	DDRVGLVRGE KARKGKSSSA QQKTVSSTKL VSFHDDSDED LLHI

Sequence:	KKERRETVIS KLTTCCRRSS NVSYKYSKVN KEEETDENET EWLMEEIQLP PPRQGKEGQE
	NGHITTKSVK ALSSLHGDDQ DSEDEVLTIP EVKVHSGRGA GAESSHPVRN AQSNALQERE
	DDRVGLVRGE KARKGKSSSA QQKTVSSTKL VSFHDDSDED LLHI
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
	cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	90 %

# **Target Details**

Target:	IGF2R
Alternative Name:	Cation-independent mannose-6-phosphate receptor protein (IGF2R Products)
Background:	Transport of phosphorylated lysosomal enzymes from the Golgi complex and the cell surface

## **Target Details**

to lysosomes. Lysosomal enzymes bearing phosphomannosyl residues bind specifically to mannose-6-phosphate receptors in the Golgi apparatus and the resulting receptor-ligand complex is transported to an acidic prelyosomal compartment where the low pH mediates the dissociation of the complex. This receptor also binds IGF2. Acts as a positive regulator of T-cell coactivation, by binding DPP4.

Molecular Weight:

45.7 kD

UniProt:

P20645

# **Application Details**

#### Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

# Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C for extended storage, conserve at -20 °C or -80 °C

#### **Publications**

Product cited in:

Lenz, Herten, Gerzer, Drummer: "Regulation of natriuretic peptide (urodilatin) release in a human


kidney cell line." in: Kidney international, Vol. 55, Issue 1, pp. 91-9, (1999) (PubMed).

Klodt, Kuhn, Marx, Martin, Rösch, Forssmann, Adermann: "Synthesis, biological activity and isomerism of guanylate cyclase C-activating peptides guanylin and uroguanylin." in: **The journal of peptide research: official journal of the American Peptide Society**, Vol. 50, Issue 3, pp. 222-30, (1998) (PubMed).

Marx, Klodt, Meyer, Gerlach, Rösch, Forssmann, Adermann: "One peptide, two topologies: structure and interconversion dynamics of human uroguanylin isomers." in: **The journal of peptide research: official journal of the American Peptide Society**, Vol. 52, Issue 3, pp. 229-40, (1998) (PubMed).

Hess, Kuhn, Schulz-Knappe, Raida, Fuchs, Klodt, Adermann, Kaever, Cetin, Forssmann: "GCAP-II: isolation and characterization of the circulating form of human uroguanylin." in: **FEBS letters**, Vol. 374, Issue 1, pp. 34-8, (1995) (PubMed).

## **Images**



### **SDS-PAGE**

Image 1. Insulin-Like Growth Factor 2 Receptor (IGF2R) (AA 2328-2491), (partial) protein (GST tag)