

Datasheet for ABIN1046908

Cytochrome b5 (CYTB5) (AA 2-97), (partial) protein (GST tag)[Go to Product page](#)**1** Image**3** Publications

Overview

Quantity:	50 µg
Target:	Cytochrome b5 (CYTB5)
Protein Characteristics:	AA 2-97, partial
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	GST tag
Application:	ELISA

Product Details

Sequence:	AEQSDEAVKY YLLEEIQKHN HSKSTWLILH HKVYDLTKFL EEHPGGEEVL REQAGGDATE NFEDVGHSTD AREMSKTFII GELHPDDRPK LNKPPPEP
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalian cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	90 %

Target Details

Target:	Cytochrome b5 (CYTB5)
Alternative Name:	Cytochrome b5 protein (CYTB5 Products)
Background:	Cytochrome b5 is a membrane bound hemoprotein which function as an electron carrier for several membrane bound oxygenases.

Target Details

Molecular Weight: 38.5 kD

UniProt: [P00167](#)

Application Details

Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modified such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions: For Research Use only

Handling

Format: Lyophilized

Concentration: 0.2-2 mg/mL

Buffer: Tris-based buffer, 50 % glycerol

Handling Advice: Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week

Storage: -20 °C


Storage Comment: Store at -20 °C for extended storage, conserve at -20 °C or -80 °C

Publications

Product cited in: Dietz, Neibergs, Womack, Kehrl: "Rapid communication: single strand conformational polymorphism (SSCP) of bovine tumor necrosis factor alpha." in: **Journal of animal science**, Vol. 75, Issue 9, pp. 2567, (1997) ([PubMed](#)).

Mertens, Muriuki, Gaidulis: "Cloning of two members of the TNF-superfamily in cattle: CD40 ligand and tumor necrosis factor alpha." in: **Immunogenetics**, Vol. 42, Issue 5, pp. 430-1, (1995)

([PubMed](#)).



SDS-PAGE

Image 1. Cytochrome B5 Type A (Microsomal) (CYB5A) (AA 2-97), (partial) protein (GST tag)