

Datasheet for ABIN1047044

LGALS7 Protein (AA 2-136, full length) (His tag)



[Go to Product page](#)

1 Image

2 Publications

Overview

Quantity:	100 µg
Target:	LGALS7
Protein Characteristics:	AA 2-136, full length
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This LGALS7 protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:	SNVPHKSSLP EGIRPGTVLR IRGLVPPNAS RFHVNLLCGE EQGSDAALHF NPRLDTSEVV FNSKEQGSWG REERPGVVPF QRGQPFEVLI IASDDGFKAV VGDAQYHHFR HRLPLARVRL VEVGDDVQLD SVRIF
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalian cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	90 %

Target Details

Target:	LGALS7
Alternative Name:	Galectin-7 protein (LGALS7 Products)
Background:	Could be involved in cell-cell and/or cell-matrix interactions necessary for normal growth

Target Details

	control. Pro-apoptotic protein that functions intracellularly upstream of JNK activation and cytochrome c release.
Molecular Weight:	19 kD
UniProt:	P47929

Application Details

Comment:	The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modified such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C for extended storage, conserve at -20 °C or -80 °C

Publications


Product cited in:	Lenz, Herten, Gerzer, Drummer: "Regulation of natriuretic peptide (urodilatin) release in a human kidney cell line." in: Kidney international , Vol. 55, Issue 1, pp. 91-9, (1999) (PubMed).
	Klodt, Kuhn, Marx, Martin, Rösch, Forssmann, Adermann: "Synthesis, biological activity and

isomerism of guanylate cyclase C-activating peptides guanylin and uroguanylin." in: **The journal of peptide research : official journal of the American Peptide Society**, Vol. 50, Issue 3, pp. 222-30, (1998) ([PubMed](#)).

Marx, Klodt, Meyer, Gerlach, Rösch, Forssmann, Adermann: "One peptide, two topologies: structure and interconversion dynamics of human uroguanylin isomers." in: **The journal of peptide research : official journal of the American Peptide Society**, Vol. 52, Issue 3, pp. 229-40, (1998) ([PubMed](#)).

Hess, Kuhn, Schulz-Knappe, Raida, Fuchs, Klodt, Adermann, Kaever, Cetin, Forssmann: "GCAP-II: isolation and characterization of the circulating form of human uroguanylin." in: **FEBS letters**, Vol. 374, Issue 1, pp. 34-8, (1995) ([PubMed](#)).

Images



SDS-PAGE

Image 1. Lectin, Galactose Binding, Soluble 7 (LGALS7) (AA 2-136), (full length) protein (His tag)