

Datasheet for ABIN1047241

IL-15 Protein (AA 49-162, full length) (His tag)

1 Image

4 Publications



[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	IL-15 (IL15)
Protein Characteristics:	AA 49-162, full length
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL-15 protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:	NWVNVISDLK KIEDLIQSMH IDATLYTESD VHPSCCKVTAM KCFLLELQVI SLESGDASIH DTVENLIILA NNSLSSNGNV TESGCKECEE LEEKNIKEFL QSFVHIVQMF INTS
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalian cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	90 %

Target Details

Target:	IL-15 (IL15)
Alternative Name:	Interleukin-15 protein (IL15 Products)
Background:	Cytokine that stimulates the proliferation of T-lymphocytes. Stimulation by IL-15 requires interaction of IL-15 with components of IL-2R, including IL-2R beta and probably IL-2R gamma

Target Details

but not IL-2R alpha.

Molecular Weight: 16.9 kD

UniProt: [P40933](#)

Pathways: [JAK-STAT Signaling](#), [Glycosaminoglycan Metabolic Process](#)

Application Details

Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modified such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions: For Research Use only

Handling

Format: Lyophilized

Concentration: 0.2-2 mg/mL

Buffer: Tris-based buffer, 50 % glycerol

Handling Advice: Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week

Storage: -20 °C

Storage Comment: Store at -20 °C for extended storage, conserve at -20 °C or -80 °C

Publications


Product cited in: Burkard, Planyavsky, Kaupe, Breitwieser, Bürckstümmer, Bennett, Superti-Furga, Colinge: "Initial characterization of the human central proteome." in: **BMC systems biology**, Vol. 5, pp. 17, (2011) ([PubMed](#)).

Durand, Angeletti, Genti-Raimondi: "GTT1/StarD7, a novel phosphatidylcholine transfer protein-like highly expressed in gestational trophoblastic tumour: cloning and characterization." in:

Placenta, Vol. 25, Issue 1, pp. 37-44, (2004) ([PubMed](#)).

Gerhard, Wagner, Feingold, Shenmen, Grouse, Schuler, Klein, Old, Rasooly, Good, Guyer, Peck, Derge, Lipman, Collins, Jang, Sherry, Feolo, Misquitta, Lee, Rotmistrovsky, Greenhut, Schaefer, Buetow et al.: "The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). ..." in: **Genome research**, Vol. 14, Issue 10B, pp. 2121-7, (2004) ([PubMed](#)).

Images



SDS-PAGE

Image 1. Interleukin 15 (IL15) (AA 49-162), (full length) protein (His tag)