

Datasheet for ABIN1047345

MIF Protein (AA 2-115, full length) (His tag)[Go to Product page](#)**1** Image**2** Publications

Overview

Quantity:	100 µg
Target:	MIF
Protein Characteristics:	AA 2-115, full length
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This MIF protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:	PMFIVNTNVP RASVPDGFLS ELTQQLAQAT GKPPQYIAVH VVPDQLMAFG GSSEPCALCS LHSIGKIGGA QNRSYSKLLC GLLAERLRIS PDRVYINYD MNAANVGWNN STFA
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalian cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	90 %

Target Details

Target:	MIF
Alternative Name:	Macrophage migration inhibitory factor protein (MIF Products)
Background:	Pro-inflammatory cytokine. Involved in the innate immune response to bacterial pathogens. The expression of MIF at sites of inflammation suggests a role as mediator in regulating the

Target Details

function of macrophages in host defense. Counteracts the anti-inflammatory activity of glucocorticoids. Has phenylpyruvate tautomerase and dopachrome tautomerase activity (in vitro), but the physiological substrate is not known. It is not clear whether the tautomerase activity has any physiological relevance, and whether it is important for cytokine activity. Ref.23 Ref.25

Molecular Weight: 16.4 kD

UniProt: [P14174](#)

Pathways: [Regulation of Systemic Arterial Blood Pressure by Hormones](#), [Positive Regulation of Immune Effector Process](#), [Production of Molecular Mediator of Immune Response](#), [Regulation of Carbohydrate Metabolic Process](#), [Feeding Behaviour](#), [Smooth Muscle Cell Migration](#), [Negative Regulation of intrinsic apoptotic Signaling](#)

Application Details

Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modified such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions: For Research Use only

Handling

Format: Lyophilized

Concentration: 0.2-2 mg/mL

Buffer: Tris-based buffer, 50 % glycerol

Handling Advice: Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week

Storage: -20 °C

Handling


Storage Comment: Store at -20 °C for extended storage, conserve at -20 °C or -80 °C

Publications

Product cited in: Mikayama, Nakano, Gomi, Nakagawa, Liu, Sato, Iwamatsu, Ishii, Weiser, Ishizaka: "Molecular cloning and functional expression of a cDNA encoding glycosylation-inhibiting factor." in: **Proceedings of the National Academy of Sciences of the United States of America**, Vol. 90, Issue 21, pp. 10056-60, (1993) ([PubMed](#)).

Weiser, Temple, Witek-Giannotti, Remold, Clark, David: "Molecular cloning of a cDNA encoding a human macrophage migration inhibitory factor." in: **Proceedings of the National Academy of Sciences of the United States of America**, Vol. 86, Issue 19, pp. 7522-6, (1989) ([PubMed](#)).

Images



SDS-PAGE

Image 1. Macrophage Migration Inhibitory Factor (Glycosylation-Inhibiting Factor) (MIF) (AA 2-115), (full length) protein (His tag)