

Datasheet for ABIN1077666

anti-Laminin antibody



Overview

Quantity:	100 μL
Target:	Laminin (LN)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Laminin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Target:

Alternative Name:

Purpose:	Polyclonal Antibody to Laminin (LN)
Immunogen:	The antibody is a rabbit polyclonal antibody raised against LN.
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against LN. It has been selected for its ability to recognize LN in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Laminin (LN)

Laminin (LN Products)

Target Details Background: LAM **Application Details** Western blotting: 0.01-2 µg/mL,Immunohistochemistry: 5-20 µg/mL,Immunocytochemistry: 5-**Application Notes:** 20 µg/mL,Optimal working dilutions must be determined by end user. Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. Restrictions: For Research Use only Handling Format: Liquid 0.5 mg/mL Concentration: Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Preservative: Sodium azide Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.

detectable loss of activity. Avoid repeated freeze-thaw cycles.

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without

Avoid repeated freeze/thaw cycles

4 °C,-20 °C

12 months

Handling Advice:

Storage Comment:

Storage:

Expiry Date: