

### Datasheet for ABIN1077689

# anti-TNFRSF13C antibody (AA 96-184)





Go to Product page

(	۱۱/		٢V	Ĺ		۱٨	١.
	, v	$\cup$	V	1	$\overline{}$	٧	V

Overview			
Quantity:	100 μL		
Target:	TNFRSF13C		
Binding Specificity:	AA 96-184		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This TNFRSF13C antibody is un-conjugated		
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)		
Product Details			
Purpose:	Polyclonal Antibody to B-Cell Activation Factor Receptor (BAFFR)		
Immunogen:	BAFFR (Val96-Gln184)		
Isotype:	IgG		
Specificity:	The antibody is a rabbit polyclonal antibody raised against BAFFR. It has been selected for its ability to recognize BAFFR in immunohistochemical staining and western blotting.		
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography		

Target Details


## Target Details

•			
Alternative Name:	BAFFR (TNFRSF13C Products)		
Background:	CD268, TNFRSF13C, TNFRSF13-C, BAFF-R, BAFFR, BR3, Tumor Necrosis Factor Receptor Superfamily Member 13C		
Molecular Weight:	17.5 kDa		
Pathways:	NF-kappaB Signaling		
Application Details			
Application Notes:	Western blotting: 0.2-2 μg/mL,1:250-2500 Immunohistochemistry: 5-20 μg/mL,1:25-100 Immunocytochemistry: 5-20 μg/mL,1:25-100 Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	500 μg/mL		
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.		
Preservative:	Sodium azide		
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.		

Expiry Date:

12 months

#### **Images**



### **Western Blotting**

Image 1.