antibodies -online.com





anti-LGALS1/Galectin 1 antibody (AA 1-135)



Images



Go to Product page

| $\overline{}$ | | | | | |
|---------------|-----|----|-----|------------|---|
| | 1// | ⊃r | V/I | Θ \ | Λ |

| 0.101.101. | | |
|----------------------|--|--|
| Quantity: | 100 μL | |
| Target: | LGALS1/Galectin 1 (LGALS1) | |
| Binding Specificity: | AA 1-135 | |
| Reactivity: | Rat | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC) | |
| Product Details | | |
| Immunogen: | GAL1 (Met1-Glu135) | |
| Isotype: | IgG | |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against GAL1. It has been selected for its | |
| | ability to recognize GAL1 in immunohistochemical staining and western blotting. | |
| Purification: | Antigen-specific affinity chromatography | |
| Target Details | | |
| Target: | LGALS1/Galectin 1 (LGALS1) | |
| Alternative Name: | Galectin 1 (GAL1) (LGALS1 Products) | |
| Background: | Alternative Names: LGALS1, GBP, HLBP14, Galaptin, Lectin, Galactoside-Binding Soluble 1, 14 | |
| | kDa laminin-binding protein, Lactose-binding lectin 1, Putative MAPK-activating protein PM12, | |
| | | |

S-Lac lectin

| Target Details | | |
|---------------------|---|--|
| Pathways: | Carbohydrate Homeostasis | |
| Application Details | | |
| Application Notes: | Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user. | |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | Lot specific | |
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. | |
| Preservative: | Sodium azide | |
| Precaution of Use: | WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. | |

Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.

Avoid repeated freeze-thaw cycles.

4°C


12 months

Handling Advice:

Storage Comment:


Storage:

Expiry Date:




Western Blotting

Image 1.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded Heart tissue



Western Blotting

Image 3. Western Blot; Sample: Rat Skeletal muscle lysate; ;Primary Ab: 1µg/ml Rabbit Anti-Rat GAL1 Antibody;Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit lgG Polyclonal Antibody;(Catalog: SAA544Rb19)

Please check the product details page for more images. Overall 5 images are available for ABIN1078054.