

Datasheet for ABIN1078060

anti-Gelsolin antibody (AA 432-553)[Go to Product page](#)**1** Image**1** Publication

Overview

Quantity:	100 µL
Target:	Gelsolin (GSN)
Binding Specificity:	AA 432-553
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Gelsolin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Gelsolin (GSN)
Immunogen:	RPA372Hu01Recombinant Gelsolin (GSN)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GSN. It has been selected for its ability to recognize GSN in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	Gelsolin (GSN)
Alternative Name:	Gelsolin (GSN Products)
Background:	GS, AGEL, ADF, Brevin, Gelsolin Amyloidosis, Finnish Type, Actin-depolymerizing factor
Pathways:	Caspase Cascade in Apoptosis , Regulation of Actin Filament Polymerization , Autophagy

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL, Immunohistochemistry: 5-20 µg/mL, Immunocytochemistry: 5-20 µg/mL, Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	ProClin, Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Publications

Product cited in: Hergenroeder, Redell, Moore, Dubinsky, Funk, Crommett, Clifton, Levine, Valadka, Dash: " Identification of serum biomarkers in brain-injured adults: potential for predicting elevated intracranial pressure." in: **Journal of neurotrauma**, Vol. 25, Issue 2, pp. 79-93, (2008) ([PubMed](#)).

Images



Western Blotting

Image 1.