

Datasheet for ABIN1078344
anti-MUC21 antibody (AA 505-566)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	MUC21
Binding Specificity:	AA 505-566
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), ELISA

Product Details

Immunogen:	Recombinant MUC21 expressed in E.coli. The antibody is a rabbit polyclonal antibody raised against MUC21.
Sequence:	MGSSHHHHHH SSGLVPRGSH MASMTGGQQM GRGSEF- SLSLRN TFNTAVYHPH GLNHGLGPGP GGNHGAPHRP RWSPNWFWRP PVSSIAMEMS GRNSGP
Isotype:	IgG
Specificity:	It has been selected for its ability to recognize MUC21 in immunohistochemical staining and Western blotting.
Purification:	Affinity Chromatography

Target Details

Target:	MUC21
---------	-------

Target Details

Alternative Name: Mucin 21 (MUC21) ([MUC21 Products](#))

Application Details

Application Notes:	Western blotting: 1:100-400 Immunocytochemistry in formalin fixed cells: 1:100-500 Immunohistochemistry in formalin fixed frozen section: 1:100-500 Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user.
Comment:	Content: The quality control contains recombinant MUC21 (Ser505~Pro566) disposed in loading buffer. Usage: 10 µL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5 µL per well when used in enhanced chemiluminescent (ECL). Note: The quality control is specifically manufactured as the positive control. Not used for other purposes. Loading Buffer: 100 mM Tris(pH8.8), 2 % SDS, 200 mM NaCl, 50 % glycerol, BPB 0.01 % , NaN ₃ 0.02 % .
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN ₃ , 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze/thaw cycles
Storage:	4 °C

Handling

Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.
Expiry Date:	12 months

Images



Western Blotting

Image 1.