antibodies -online.com





anti-CCL24 antibody (AA 27-119)

2 Images



Go to Product page

\sim	
$() \setminus (\cap r)$	1/// 1///
\cup	view

Quantity:	100 μL
Target:	CCL24
Binding Specificity:	AA 27-119
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	MPIF2 (Val27-Val119)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against MPIF2. It has been selected for its ability to recognize MPIF2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	CCL24
Alternative Name:	Myeloid Progenitor Inhibitory Factor 2 (MPIF2) (CCL24 Products)
Background:	Alternative Names: CCL24, SCYA24, Ckb-6, Eotaxin-2, Chemokine C-C-Motif Ligand 24,
	Eosinophil chemotactic protein 2, Small Inducible Cytokine Subfamily A(Cys-Cys)Member 24

Target Details
Pathways:
Application De
Application Notes:

Regulation of Actin Filament Polymerization

Details

• Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:


The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions:

For Research Use only


Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.
	Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or
	eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a
	physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute
	azide-containing compounds in running water before discarding to avoid accumulation of
	potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	4 °C
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.
Expiry Date:	12 months



Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. Figure.DAB staining on IHC-P. Samples: Rat Tissue