



[Go to Product page](#)

Datasheet for ABIN1104555
anti-SWAP70 antibody (AA 1-50)

2 Images

Overview

Quantity:	50 µg
Target:	SWAP70
Binding Specificity:	AA 1-50
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SWAP70 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Immunogen:	A portion of amino acids 1-50 of human SWAP70. Type of Immunogen: Protein fragment
Isotype:	IgG
Specificity:	Human SWAP70.
Purification:	Protein A purified

Target Details

Target:	SWAP70
---------	--------

Target Details


Alternative Name:	SWAP70 (SWAP70 Products)
Background:	Name/Gene ID: SWAP70 Synonyms: SWAP70, KIAA0640, HSPC321, SWAP-70, Switch-associated protein 70
Gene ID:	23075
UniProt:	Q9UH65
Pathways:	Production of Molecular Mediator of Immune Response

Application Details

Application Notes:	Approved: IHC, IHC-P (10 µg/mL), WB (0.25 - 0.5 µg/mL)
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, 0.05 % BSA, 0.05 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for short term applications. For long term storage, aliquot and store at -20°C.



Immunohistochemistry

Image 1. Anti-SWAP70 antibody IHC staining of human tonsil, germinal center. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody ABIN1104555 dilution 10 ug/ml.



Immunohistochemistry

Image 2. Anti-SWAP70 antibody IHC of human tonsil, germinal center. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 10 ug/ml.