

Datasheet for ABIN1104934 anti-UNC5CL antibody (AA 40-70)

2 Images



Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	50 μg
Target:	UNC5CL
Binding Specificity:	AA 40-70
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UNC5CL antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Brand:	IHC-plus [™]
Brand: Immunogen:	IHC-plus™ Portions of amino acids 40-70 and 490-518 of human UNC5CL were used as the immunogen.
Immunogen:	Portions of amino acids 40-70 and 490-518 of human UNC5CL were used as the immunogen.
Immunogen: Isotype:	Portions of amino acids 40-70 and 490-518 of human UNC5CL were used as the immunogen. IgG
Immunogen: Isotype: Specificity:	Portions of amino acids 40-70 and 490-518 of human UNC5CL were used as the immunogen. IgG Human UNC5CL.
Immunogen: Isotype: Specificity: Purification:	Portions of amino acids 40-70 and 490-518 of human UNC5CL were used as the immunogen. IgG Human UNC5CL.
Immunogen: Isotype: Specificity: Purification: Target Details	Portions of amino acids 40-70 and 490-518 of human UNC5CL were used as the immunogen. IgG Human UNC5CL. Immunoaffinity purified
Immunogen: Isotype: Specificity: Purification: Target Details Target:	Portions of amino acids 40-70 and 490-518 of human UNC5CL were used as the immunogen. IgG Human UNC5CL. Immunoaffinity purified UNC5CL

	Synonyms: UNC5CL, MUXA, ZUD, UNC5C-like protein, Protein unc-5 homolog C-like
Gene ID:	222643
UniProt:	Q8IV45


Application Details

Application Notes:	Approved: IHC, IHC-P (5 μg/mL)
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, 0.05 % BSA, 0.05 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for short term applications. For long term storage, aliquot and store at -20°C.

Images



Immunohistochemistry

Image 1. Anti-UNC5CL antibody IHC of human kidney. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody dilution 5 ug/ml.



Immunohistochemistry

Image 2. Anti-UNC5CL antibody IHC staining of human kidney. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody ABIN1104934 dilution 5 ug/ml.