



[Go to Product page](#)

Datasheet for ABIN1109571
anti-ZNF295 antibody (N-Term)

1 Image

Overview

Quantity:	100 µL
Target:	ZNF295
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Chicken, Dog
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen for anti-ZNF295 antibody: synthetic peptide directed towards the N terminal of human ZNF295
Sequence:	DQKFRAHKNV LAASSEYFQS LFTNKENESQ TVFQLDFCEP DAFDNVLYI
Cross-Reactivity (Details):	Species reactivity (expected): Mouse, Rat, Dog, Bovine, Chicken Species reactivity (tested): Human
Purification:	Purified using peptide immunoaffinity column

Target Details

Target:	ZNF295
Alternative Name:	ZNF295 (ZNF295 Products)
Background:	ZNF295 contains 1 BTB (POZ) domain and 8 C2H2-type zinc fingers. ZNF295 may be involved in transcriptional regulation. Synonyms: KIAA1227, ZBTB21, Zinc finger and BTB domain-

Target Details

containing protein 21, Zinc finger protein 295

Gene ID: 49854

NCBI Accession: [NP_065778](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling


Reconstitution: Add 50 μ L of distilled water to a final concentration of 1 mg/mL.

Handling Advice: Avoid repeated freezing and thawing.

Storage: 4 °C/-20 °C

Storage Comment: Store lyophilized at 2-8 °C or at -20 °C long term. After reconstitution store the antibody undiluted at 2-8 °C for up to one month or in aliquots at -20 °C long term.

Images



Western Blotting

Image 1. Human Muscle; WB Suggested Anti-ZNF295 Antibody Titration: 0.2-1 μ g/ml. Positive Control: Human Muscle; ZNF295 antibody - N-terminal region in Human Muscle cells using Western Blot