.-online.com antibodies

Datasheet for ABIN111105 anti-P-Selectin antibody (APC)

1 Image

3 Publications



Overview

Quantity:	100 tests
Target:	P-Selectin (SELP)
Reactivity:	Human, Non-Human Primate
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This P-Selectin antibody is conjugated to APC
Application:	Flow Cytometry (FACS)

Product Details

Immunogen:	Human platelets
Clone:	AK4
lsotype:	lgG1 kappa
Specificity:	The antibody AK4 recognizes an extracellular epitope of CD62P (P-selectin), a 140 kD single chain type I transmembrane glycoprotein present in secretory alpha-granules in platelets, in Weibel-Palade bodies in endothelial cells and in megakaryocytes, it is relocated to the plasma membrane upon activation.
Cross-Reactivity (Details):	Human, Non-Human Primates
Purification:	Purified antibody is conjugated with activated allophycocyanin (APC) under optimum conditions and unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1111105 | 01/29/2024 | Copyright antibodies-online. All rights reserved.

_	
Target:	P-Selectin (SELP)
Alternative Name:	CD62P (SELP Products)
Background:	Selectin P,CD62P (P-selectin) is an adhesion glycoprotein that is expressed on platelets and endothelial cells upon their activation. Interaction between CD62P and its mucin-like ligand PSGL-1 (P-selectin glycoprotein ligand-1) expressed on the microvilli of most leukocytes supports leukocyte rolling along postkapillary venules at the earliest time of inflammation. Both CD62P and PSGL-1 are extended glycoproteins that form homodimers. CD62P dimerization is probably mediated through interactions of the transmembrane domains and stabilizes leukocyte tethering and rolling, probably by increasing rebinding within a bond cluster.,P- selectin, GMP140, SELP, PADGEM, GRMP, LECAM3, PSEL
Gene ID:	6403
UniProt:	P16109
Application Details	
Application Notes:	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 μL reagent / 100 μL of whole blood or 10 ⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.
Comment:	The purified antibody is conjugated with cross-linked Allophycocyanin (APC) under optimum conditions. The conjugate is purified by size-exclusion chromatography and adjusted for direct use. No reconstitution is necessary.
Restrictions:	For Research Use only
Handling	
Reconstitution:	No reconstitution is necessary.
Buffer:	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Do not freeze. Avoid prolonged exposure to light.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN1111105 | 01/29/2024 | Copyright antibodies-online. All rights reserved. Storage Comment:

Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.

Publications


Product cited in:

Ludwig, Schultz, Boehncke, Podda, Tandi, Krombach, Baatz, Kaufmann, von Andrian, Zollner: " Activated, not resting, platelets increase leukocyte rolling in murine skin utilizing a distinct set of adhesion molecules." in: **The Journal of investigative dermatology**, Vol. 122, Issue 3, pp. 830-6, (2004) (PubMed).

Kowalska, Ratajczak, Hoxie, Brass, Gewirtz, Poncz, Ratajczak: "Megakaryocyte precursors, megakaryocytes and platelets express the HIV co-receptor CXCR4 on their surface: determination of response to stromal-derived factor-1 by megakaryocytes and platelets." in: **British journal of haematology**, Vol. 104, Issue 2, pp. 220-9, (1999) (PubMed).

Dunlop, Skinner, Bendall, Favaloro, Castaldi, Gorman, Gamble, Vadas, Berndt: "Characterization of GMP-140 (P-selectin) as a circulating plasma protein." in: **The Journal of experimental medicine**, Vol. 175, Issue 4, pp. 1147-50, (1992) (PubMed).

Images



Flow Cytometry

Image 1. Surface staining of human peripheral blood with anti-CD62P (AK4) APC.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN111105 | 01/29/2024 | Copyright antibodies-online. All rights reserved.