antibodies -online.com







IL-5 Protein



Target:

Publication



		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Overview	
Quantity:	50 μg
Target:	IL-5 (IL5)
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Biological Activity:	Active
Application:	Biochemical Assay (BCA)
Product Details	
Sequence:	2x MIPTEIPTSA LVKETLALLS THRTLLIANE TLRIPVPVHK NHQLCTEEIF QGIGTLESQT
	VQGGTVERLF KNLSLIKKYI DGQKKKCGEE RRRVNQFLDY LQEFLGVMNT EWIIES.
No Cross-Reactivity:	Mouse (Murine), Guinea Pig
Characteristics:	The ED50 as determined by the dose-dependent proliferation of TF-1 cells was less than or
	equal to 0.15 ng/ml, corresponding to a specific activity of greater than or equal 6.6 x 106
	units/mg.
Purity:	> 95 % as determined by SDS-PAGE analysis.
Sterility:	0.2 μm filtered
Endotoxin Level:	Endotoxin: 1.EU/μg determined by LAL method.
Target Details	

Order at www.antibodies-online.com www.antikoerper-online.de www.anticorps-enligne.fr www.antibodies-online.cn
International: +49 (0)241 95 163 153 USA & Canada: +1 877 302 8632 support@antibodies-online.com

Page 1/2 | Product datasheet for ABIN1112346 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

IL-5 (IL5)

Target Details

Alternative Name:	IL-5 (IL5 Products)	
Molecular Weight:	26 kDa.	
Pathways:	JAK-STAT Signaling, Positive Regulation of Peptide Hormone Secretion, Production of Molecular Mediator of Immune Response, Feeding Behaviour	

Application Details

Comment:	Length: 116 AA	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	We recommended spin the vial shortly prior to opening to bring the contents to the bottom. Lyophilized hIL-5 should be reconstituted in deionized water to 0,1-1 μ g/mL to regain full activity. These stock solutions should be apportioned into working aliquots and stored at -20 °C. Further dilutions should be made in low endotoxin medium or buffered solution with FBS or tissue culture grade BSA.	
Storage:	-20 °C	

Publications

Product cited in:

Lang, Schulte, Goddard, Hedrick, Schulte, Wei, Schmiedt: "Transplantation of mouse embryonic stem cells into the cochlea of an auditory-neuropathy animal model: effects of timing after injury." in: **Journal of the Association for Research in Otolaryngology : JARO**, Vol. 9, Issue 2, pp. 225-40, (2008) (PubMed).

Lang, Ebihara, Schmiedt, Minamiguchi, Zhou, Smythe, Liu, Ogawa, Schulte: "Contribution of bone marrow hematopoietic stem cells to adult mouse inner ear: mesenchymal cells and fibrocytes." in: **The Journal of comparative neurology**, Vol. 496, Issue 2, pp. 187-201, (2006) (PubMed).