

# Datasheet for ABIN111711 anti-HCV Core Protein antibody (N-Term)

Publication



#### Overview

1

Quantity:	0.1 mg
Target:	HCV Core Protein (HCV C)
Binding Specificity:	AA 1-80, N-Term
Reactivity:	Hepatitis C Virus (HCV)
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This HCV Core Protein antibody is un-conjugated
Application:	Enzyme Immunoassay (EIA)

# Product Details

Immunogen:	Recombinant protein
Clone:	6A1
lsotype:	lgG2a
Purification:	Protein A chromatography

### Target Details

Target:	HCV Core Protein (HCV C)
Alternative Name:	HCV Core Protein (HCV C Products)
Target Type:	Viral Protein
Background:	The hepatitis C virus (HCV) core protein represents the first 191 amino acids of the viral

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN111711 | 07/26/2024 | Copyright antibodies-online. All rights reserved. precursor polyprotein and is cotranslationally inserted into the membrane of the endoplasmic reticulum. Hepatitis C virus (HCV) core is a viral structural protein, it also participates in some cellular processes, including transcriptional regulation. However the mechanisms of coremediated transcriptional regulation remain poorly understood. Hepatitis C virus (HCV) core protein is thought to contribute to HCV pathogenesis through its interaction with various signal transduction pathways. In addition, HCV core antigen is a recently developed marker of hepatitis C infection. The HCV core protein has been previously shown to circulate in the bloodstream of HCV-infected patients and inhibit host immunity through an interaction with gC1qR. Hepatitis C Virus is a positive, single stranded RNA virus in the Flaviviridae family. The genome is approximately 10,000 nucleotides and encodes a single polyprotein of about 3,000 amino acids. The polyprotein is processed by host cell and viral proteases into three major structural proteins and several non structural proteins necessary for viral replication. Hepatitis C virus (HCV) causes most cases of non-A, non-B hepatitis and results in most HCV infected people developing chronic infections, liver cirrhosis and hepatocellular carcinoma. T cell responses, including interferon-gamma production are severely suppressed in chronic HCV patients.Synonyms: Hepatitis C Virus core protein

## Application Details

Application Notes:	Suitable for use in ELISA employing native viral lysates. Does not work in Western blot.
	Other applications not tested.
	Optimal dilutions are dependent on conditions and should be determined by the user.
Restrictions:	For Research Use only

#### Handling

Concentration:	1.0 mg/mL
Buffer:	1X PBS, pH 7.2 with 0.01 % sodium azide as preservative
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN111711 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

Pub	lications	

Product cited in:

Nattermann, Nischalke, Hofmeister, Ahlenstiel, Zimmermann, Leifeld, Weiss, Sauerbruch, Spengler: "The HLA-A2 restricted T cell epitope HCV core 35-44 stabilizes HLA-E expression and inhibits cytolysis mediated by natural killer cells." in: **The American journal of pathology**, Vol. 166, Issue 2, pp. 443-53, (2005) (PubMed).