

Datasheet for ABIN112019

anti-Ferritin antibody (Heavy & Light Chain)



_					
	W	0	rv	10	W

Quantity:	1 mg	
Target:	Ferritin (FE)	
Binding Specificity:	Heavy & Light Chain	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This Ferritin antibody is un-conjugated	
Application:	Enzyme Immunoassay (EIA)	
Product Details		
Immunogen:	Human liver ferritin.	
Clone:	7A4	
Isotype:	lgG3	
Purification:	Affinity chromatography on Protein G	
Target Details		
Target:	Ferritin (FE)	
Alternative Name:	Ferritin (FE Products)	
Background:	Ferritin is a ubiquitous and highly conserved protein which plays a major role in iron homeostasis by sequestering and storing iron in a non-toxic and soluble form. It forms a	

Target Details

holoenzyme of ~450 kDa, consisting of 24 subunits of two types, H (heavy, 21 kDa) and L (light, 19 kDa), and is capable of storing up to 4,500 atoms of ferric iron. Depending on the tissue type and physiological status of the cell, the ratio of H to L subunits in ferritin can vary widely. Ferritin is found in the liver, spleen, kidney and heart, with smaller amounts being found in blood. Serum ferritin levels serve as an indicator of the amount of iron stored in the body. Serum ferritin is the most sensitive test for anaemia, and is also used as a marker for restless leg syndrome, hemochromatosis and porphyria. As ferritin is an acute-phase reactant, it is often elevated during infection. Defects in ferritin proteins are associated with several neurodegenerative diseases. Synonyms: FTH, FTL, Ferritin H subunit, Ferritin L subunit

Pathways:

Transition Metal Ion Homeostasis

Application Details

Application Notes:

ELISA.

Other applications not tested.

Optimal dilutions are dependent on conditions and should be determined by the user.

Restrictions:

For Research Use only

Handling

Concentration:	1.0 mg/mL	
Buffer:	PBS containing 0.09 % Sodium Azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Avoid repeated freezing and thawing.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.	