

Datasheet for ABIN1169170

anti-IL-33 antibody

1 Image



Overview

Quantity:	100 μg
Target:	IL-33 (IL33)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This IL-33 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Recombinant human IL-33.
Clone:	IL33068A
Isotype:	lgG2b
Specificity:	Recognizes human IL-33.
Cross-Reactivity:	Human
Cross-Reactivity (Details):	Weakly cross-reacts with mouse IL-33.
Sterility:	0.2 µm filtered

Target Details

Target:	IL-33 (IL33)
Alternative Name:	IL-33 (IL33 Products)

Target Details

Bac	kar	ัดเ	ın	d	
Duo		\sim	<i>.</i>	u	•

Interleukin-33 (IL-33, HF-NEV, IL-1F11), a member of the IL-1 family of cytokines, is expressed by many cell types following pro-inflammatory stimulation and is thought to be released on cell lysis. The 30 kDa human IL33 is converted by CASP1 to a 18 kDa protein. IL33 binds to and signals through ST2 (IL1R1) and its stimulation recruits MYD88, IRAK, IRAK4, and TRAF6, followed by phosphorylation of ERK1(MAPK3)/ERK2(MAPK1), p38(MAPK14), and JNK. The ability of IL-33 to target numerous immune cell types, like Th2-like cells, mast cells, and B1 cells, and to induce cytokine and chemokine production underlines its potential in influencing the outcome of a wide range of diseases, such as arthritis, asthma, atopic allergy & anaphylaxis, cardiovascular disease/atherosclerosis, nervous system diseases, and sepsis.

UniProt:

095760

Pathways:


Production of Molecular Mediator of Immune Response

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	0.2μm-filtered solution in PBS, pH 7.4. Contains no preservatives.
Preservative:	Without preservative
Storage:	4 °C,-20 °C
Storage Comment:	Short Term Storage: +4°C Long Term Storage: -20°C Stable for at least 1 year after receipt when stored at -20°C.
Expiry Date:	12 months



Western Blotting

Image 1. Western blot analysis using anti-IL-33 (human), mAb (IL33068A) at 1:2'000 dilution. 1: Human IL-33 (Histagged). 2: Human IL-33 (FLAG ® -tagged). 3: Mouse IL-33 (FLAG ® -tagged). 4: Other protein (His-tagged) (negative control).