

# Datasheet for ABIN1169392

# anti-Granulin antibody





#### Overview

Quantity:	100 μg
Target:	Granulin (GRN)
Reactivity:	Mouse
Host:	Rat
Clonality:	Polyclonal
Conjugate:	This Granulin antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

### **Product Details**

Immunogen:	Recombinant mouse progranulin.
Specificity:	Recognizes mouse progranulin. Detects a band of ~90 kDa by Western blot.
Cross-Reactivity:	Mouse (Murine)
Cross-Reactivity (Details):	Weakly cross-reacts with human progranulin.
Sterility:	0.2 µm filtered

# Target Details

Target:	Granulin (GRN)
Alternative Name:	Progranulin (GRN Products)
Target Type:	Viral Protein
Background:	Progranulin (PGRN) is a widely expressed pluripotent growth factor which plays a role in

#### **Target Details**

processes such as development, wound repair and inflammation by activating signaling cascades that control cell cycle progression and cell motility. Its function in the central nervous system is of interest, as mutations in the PGRN gene were found in cases of frontotemporal degeneration (FTLD). In addition, PGRN has also been linked to tumorigenesis. Progranulin is a biomarker for FTLD, other types of Alzheimer's Disease (AD) and potentially for MCI (Mild Cognitive Impairment). Additionally, PGRN is described as a new ligand of TNF receptors and a potential therapeutic against inflammatory disease like arthritis.

UniProt:


P28798

## **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Concentration:	Lot specific
Buffer:	0.2µm-filtered solution in PBS, pH 7.4. Contains no preservatives.
Preservative:	Without preservative
Storage:	4 °C,-20 °C
Storage Comment:	Short Term Storage: +4°C
	Long Term Storage: -20°C
	Stable for at least 6 months after receipt when stored at -20°C.

Expiry Date: 6 months



### **Western Blotting**

Image 1. Western blot analysis using anti-Progranulin (mouse), pAb at 1:2'000 dilution. 1: Mouse Progranulin (FLAG ® -tagged). 2: Human Progranulin (FLAG ® -tagged). 3: Human Granulin C (FLAG ® -tagged). 4: Human Granulin F (FLAG ® -tagged). 5: Human ANGPTL3 (FLAG ® -tagged) (negative control).