
# antibodies - online.com







# anti-LMYC antibody (AA 257-394)

**Images** 



( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Quantity:	100 μL
Target:	LMYC (MYCL)
Binding Specificity:	AA 257-394
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LMYC antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

## **Product Details**

Immunogen:	MYCL1 (Glu257-Tyr394)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against MYCL1. It has been selected for its ability to recognize MYCL1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	


# **Target Details**

Target:	LMYC (MYCL)
Alternative Name:	V-Myc Myelocytomatosis Viral Oncogene Homolog 1, Lung Carcinoma Derived (MYCL1) (MYCL
	Products)

Target Details		
Background:	Alternative Names: LMYC, MYCL, bHLHe38, L-Myc-1 Proto-Oncogene Protein, Class E basic	
	helix-loop-helix protein 38	
Pathways:	Warburg Effect	
Application Details		
Application Notes:	<ul> <li>Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500         Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.     </li> </ul>	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.	
	Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or	
	eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a	
	physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute	
	azide-containing compounds in running water before discarding to avoid accumulation of	
	potentially explosive deposits in lead or copper plumbing.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	4 °C	
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	


12 months

Expiry Date:




# **Western Blotting**

Image 1.



## **Western Blotting**

Image 2. Western Blot; Sample: Human A549 cell lysate; Primary Ab: 1μg/ml Rabbit Anti-Human MYCL1 Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



## **Immunohistochemistry**

**Image 3.** Figure.DAB staining on IHC-P. Samples: Human Tissue