antibodies -online.com









Go to Product page

\sim					
	1//6	r	V I	Θ	Λ

Overview		
Quantity:	100 μL	
Target:	VPS37A	
Binding Specificity:	AA 1-397	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This VPS37A antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Immunogen:	HCRP1 (Met1-Leu397)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against HCRP1. It has been selected for its ability to recognize HCRP1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	
Target Details		
Target:	VPS37A	
Alternative Name:	Hepatocellular Carcinoma Related Protein 1 (HCRP1) (VPS37A Products)	
Background:	Alternative Names: PQBP2, VPS37A, Vacuolar Protein Sorting 37 Homolog A, Polyglutamine	

Binding Protein 2, ESCRT-I complex subunit VPS37A

Application Details

Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions:

For Research Use only


Handling

Format:	Liquid		
Concentration:	Lot specific		
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.		
Preservative:	Sodium azide		
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.		
	Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or		
	eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a		
	physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute		
	azide-containing compounds in running water before discarding to avoid accumulation of		
	potentially explosive deposits in lead or copper plumbing.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		
Storage:	4°C		
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		
Expiry Date:	12 months		




Western Blotting

Image 1. Western Blot; Sample: Human Hela cell lysate; Primary Ab: 1μg/ml Rabbit Anti-Human HCRP1 Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Western Blotting

Image 2. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 3. DAB staining on IHC-P; Samples: Human Pancreatic cancer Tissue