

Datasheet for ABIN1171780

anti-APLP2 antibody (FITC)



Overview

| Quantity: | 200 μL |
|--------------|---|
| Target: | APLP2 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This APLP2 antibody is conjugated to FITC |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunocytochemistry (ICC) |

Product Details

Alternative Name:

| Product Details | |
|-----------------|--|
| Purpose: | FITC-Linked Polyclonal Antibody to Suppression Of Tumorigenicity 14 (ST14) |
| Immunogen: | The antibody is a rabbit polyclonal antibody raised against ST14 conjugated to fitc. |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against ST14. It has been selected for its ability to recognize ST14 in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |
| Target Details | |
| Target: | APLP2 |

Suppression Of Tumorigenicity 14 (APLP2 Products)

| Target Details | |
|--|---|
| Background: | SNC19, HAI, MT-SP1, PRSS14, TADG15, Epithin, Matriptase, Prostamin, Membrane-type serine |
| | protease 1, Serine protease 14, Tumor-associated differentially-expressed gene 15 |
| Pathways: | EGFR Signaling Pathway, Transition Metal Ion Homeostasis, Feeding Behaviour |
| Application Details | |
| Application Notes: | Western blotting: 0.2-2 μg/mL,1:250-2500 Immunohistochemistry: 5-20 μg/mL,1:25-100 |
| | Immunocytochemistry: 5-20 μg/mL,1:25-100 Optimal working dilutions must be determined by |
| | end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| | |
| Format: | Liquid |
| Format: Concentration: | Liquid 500 μg/mL |
| | |
| Concentration: | 500 μg/mL |
| Concentration: Buffer: | 500 μg/mL PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Concentration: Buffer: Preservative: | 500 μg/mL PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Sodium azide |
| Concentration: Buffer: Preservative: | 500 μg/mL PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Sodium azide WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. |
| Concentration: Buffer: Preservative: | 500 μg/mL PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Sodium azide WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or |
| Concentration: Buffer: Preservative: | 500 μg/mL PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Sodium azide WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a |
| Concentration: Buffer: Preservative: | 500 μg/mL PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Sodium azide WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute |
| Concentration: Buffer: Preservative: | 500 μg/mL PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Sodium azide WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of |
| Concentration: Buffer: Preservative: Precaution of Use: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Sodium azide WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. |
| Concentration: Buffer: Preservative: Precaution of Use: Handling Advice: | 500 μg/mL PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Sodium azide WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. Avoid repeated freeze/thaw cycles |
| Concentration: Buffer: Preservative: Precaution of Use: Handling Advice: Storage: | 500 μg/mL PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Sodium azide WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. Avoid repeated freeze/thaw cycles 4 °C,-20 °C |