antibodies -online.com





anti-TIMP4 antibody (AA 42-224)

4 Images




Go to Product page

\sim							
	1//	\Box	$r \setminus$	/ [\bigcirc	1	٨,

Overview		
Quantity:	100 μL	
Target:	TIMP4	
Binding Specificity:	AA 42-224	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TIMP4 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
I TOUUCI DEIAIIS		
Immunogen:	TIMP4 (Cys42-Pro224)	
	TIMP4 (Cys42-Pro224) IgG	
Immunogen:		
Immunogen: Isotype:	IgG The antibody is a rabbit polyclonal antibody raised against TIMP4. It has been selected for its	
Immunogen: Isotype: Specificity:	IgG The antibody is a rabbit polyclonal antibody raised against TIMP4. It has been selected for its ability to recognize TIMP4 in immunohistochemical staining and western blotting.	
Immunogen: Isotype: Specificity: Purification:	IgG The antibody is a rabbit polyclonal antibody raised against TIMP4. It has been selected for its ability to recognize TIMP4 in immunohistochemical staining and western blotting.	
Immunogen: Isotype: Specificity: Purification: Target Details	IgG The antibody is a rabbit polyclonal antibody raised against TIMP4. It has been selected for its ability to recognize TIMP4 in immunohistochemical staining and western blotting. Antigen-specific affinity chromatography	

Application Details

Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user. 		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, insulate the pretain at 27% dags for 40h, and no obvious		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	Lot specific		
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.		
Preservative:	Sodium azide		
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhal Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If s eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact aphysician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. azide-containing compounds in running water before discarding to avoid accumulation or potentially explosive deposits in lead or copper plumbing.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		
Storage:	4 °C		
Storage Comment:	ge Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		
Expiry Date:	12 months		



Please check the product details page for more images. Overall 4 images are available for ABIN1172385.