

Datasheet for ABIN1172814

anti-C5A antibody (Biotin)



Overview

Overview	
Quantity:	200 μL
Target:	C5A (C5a)
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C5A antibody is conjugated to Biotin
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	
Purpose:	Biotin-Linked Polyclonal Antibody to Complement Component 5a (C5a)
Immunogen:	The antibody is a rabbit polyclonal antibody raised against C5a conjugated to biotin.
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against C5a. It has been selected for its ability to recognize C5a in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	C5A (C5a)
Alternative Name:	Complement Component 5a (C5a Products)
Pathways:	Complement System, Carbohydrate Homeostasis

Application Details

Western blotting: 0.2-2 μ g/mL,1:250-2500 Immunohistochemistry: 5-20 μ g/mL,1:25-100 Immunocytochemistry: 5-20 μ g/mL,1:25-100 Optimal working dilutions must be determined by end user.	
The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
For Research Use only	
Liquid	
500 μg/mL	
PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Sodium azide	
WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.	
Avoid repeated freeze/thaw cycles	
4 °C,-20 °C	
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
12 months	