antibodies -online.com





Datasheet for ABIN1174327

anti-Big Dynorphin antibody (Biotin)



Overview

Quantity:	200 μL
Target:	Big Dynorphin
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Big Dynorphin antibody is conjugated to Biotin
Application:	Immunohistochemistry (IHC), Western Blotting (WB), ELISA
Product Details	

Immunogen:	The antibody is a rabbit polyclonal antibody raised against Dyn conjugated to biotin.
Isotype:	IgG
Specificity:	It has been selected for its ability to recognize Dyn in immunohistochemical staining and Western blotting.
Purification:	Affinity Chromatography

Target Details

Target:	Big Dynorphin
Alternative Name:	Big Dynorphin (Dyn) (Big Dynorphin Products)

Application Details

Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions	• •	
Immunohistochemistry in formalin fixed frozen section: 1:100-500 Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user. Restrictions: For Research Use only Handling Format: Liquid Concentration: Lot specific Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol. Preservative: Sodium azide Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inha. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation apotentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Application Notes:	Western blotting: 1:100-400
Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user. Restrictions: For Research Use only Handling Format: Liquid Concentration: Lot specific Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol. Preservative: Sodium azide Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhance Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation apotentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		Immunocytochemistry in formalin fixed cells: 1:100-500
Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user. For Research Use only Handling Format: Liquid Concentration: Lot specific Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol. Preservative: Sodium azide Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		Immunohistochemistry in formalin fixed frozen section: 1:100-500
Optimal working dilutions must be determined by end user. For Research Use only Handling Format: Liquid Concentration: Lot specific Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol. Preservative: Sodium azide Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inha Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation opotentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		Immunohistochemistry in paraffin section: 1:50-200
Restrictions: For Research Use only Handling Format: Liquid Concentration: Lot specific Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol. Preservative: Sodium azide Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhard Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		Enzyme-linked Immunosorbent Assay: 1:100-200
Format: Liquid Concentration: Lot specific Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol. Preservative: Sodium azide Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaladion and the separation of use of o		Optimal working dilutions must be determined by end user.
Format: Liquid Concentration: Lot specific Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol. Preservative: Sodium azide Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inha Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation opotentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Restrictions:	For Research Use only
Concentration: Lot specific Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol. Preservative: Sodium azide WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhe Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Handling	
Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol. Preservative: Sodium azide WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled, contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Format:	Liquid
Preservative: Sodium azide WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation opotentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Concentration:	Lot specific
Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Buffer:	Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN3, 50 % glycerol.
Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Preservative:	Sodium azide
eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation opotentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.
physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or
azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a
potentially explosive deposits in lead or copper plumbing. Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute
Handling Advice: Avoid repeated freeze/thaw cycles Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		azide-containing compounds in running water before discarding to avoid accumulation of
Storage: 4 °C Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.		potentially explosive deposits in lead or copper plumbing.
Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.	Handling Advice:	Avoid repeated freeze/thaw cycles
	Storage:	4 °C
Expiry Date: 12 months	Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.
	Expiry Date:	12 months