

Datasheet for ABIN1174432
anti-Angiostatin antibody (AA 98-436)[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	Angiostatin (ANG)
Binding Specificity:	AA 98-436
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Angiostatin antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	The antibody is a rabbit polyclonal antibody raised against ANG.
Isotype:	IgG
Specificity:	It has been selected for its ability to recognize ANG in immunohistochemical staining and Western blotting.
Purification:	Affinity Chromatography

Target Details

Target:	Angiostatin (ANG)
Abstract:	ANG Products

Target Details

Pathways: [Lipid Metabolism](#)


Application Details

Restrictions: For Research Use only

Handling


Format:	Lyophilized
Concentration:	Lot specific
Buffer:	Supplied as solution form in PBS, pH7.4, containing 0.02% NaN ₃ , 50% glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze/thaw cycles
Storage:	4 °C
Storage Comment:	Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.
Expiry Date:	12 months

Images



Western Blotting

Image 1.



Immunohistochemistry

Image 2. Used in DAB staining on formalin fixed paraffin-embedded Kidney tissue