

Datasheet for ABIN1174927 **anti-BAFF antibody (Biotin)**



[Go to Product page](#)

Overview

Quantity:	200 µL
Target:	BAFF (TNFSF13B)
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BAFF antibody is conjugated to Biotin
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Purpose:	Biotin-Linked Polyclonal Antibody to B-Cell Activating Factor (BAFF)
Immunogen:	PAB686Mu01 Polyclonal Antibody to BCell Activating Factor (BAFF)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against BAFF. It has been selected for its ability to recognize BAFF in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	BAFF (TNFSF13B)
Alternative Name:	B-Cell Activating Factor (TNFSF13B Products)
Background:	CD257, TNFSF13B, BLYS, TALL1, THANK, TNFSF20, ZTNF4, B lymphocyte stimulator, Tumor

Target Details

Necrosis Factor Ligand Superfamily Member 13B, Dendritic cell-derived TNF-like

Pathways: [NF-kappaB Signaling, Production of Molecular Mediator of Immune Response](#)

Application Details

Application Notes: Western blotting: 0.5-2 µg/mL Immunocytochemistry in formalin fixed cells: 5-20 µg/mL Immunohistochemistry in formalin fixed frozen section: 5-20 µg/mL Immunohistochemistry in paraffin section: 5-20 µg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 µg/mL Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 500 µg/mL

Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Preservative: Sodium azide

Precaution of Use: WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.

Handling Advice: Avoid repeated freeze/thaw cycles

Storage: 4 °C, -20 °C

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

Expiry Date: 12 months