

# Datasheet for ABIN1174957

## anti-GDF2 antibody (FITC)



#### Overview

Quantity:	200 μL
Target:	GDF2
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GDF2 antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunofluorescence (IF)

### **Product Details**

Alternative Name:

Product Details	
Purpose:	FITC-Linked Polyclonal Antibody to Bone Morphogenetic Protein 9 (BMP9)
Immunogen:	The antibody is a rabbit polyclonal antibody raised against GDF2 conjugated to fitc.
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against BMP9. It has been selected for its ability to recognize BMP9 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	GDF2

Bone Morphogenetic Protein 9 (GDF2 Products)

### **Target Details**

Background:	GDF2, Growth Differentiation Factor 2
Pathways:	Transition Metal Ion Homeostasis
Application Details	
Application Notes:	Western blotting: 0.2-2 $\mu$ g/mL,1:250-2500 Immunohistochemistry: 5-20 $\mu$ g/mL,1:25-100 Immunocytochemistry: 5-20 $\mu$ g/mL,1:25-100 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	500 μg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze/thaw cycles
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	12 months