

## Datasheet for ABIN1176021 **anti-S100A16 antibody (Biotin)**



[Go to Product page](#)

### Overview

Quantity:	200 µL
Target:	S100A16
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This S100A16 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

### Product Details

Immunogen:	The antibody is a rabbit polyclonal antibody raised against S100A16 conjugated to biotin.
Isotype:	IgG
Specificity:	It has been selected for its ability to recognize S100A16 in immunohistochemical staining and Western blotting.
Purification:	Affinity Chromatography

### Target Details

Target:	S100A16
Abstract:	<a href="#">S100A16 Products</a>
Pathways:	<a href="#">S100 Proteins</a>

## Application Details

---

Application Notes: Western blotting: 1:100-400  
Immunocytochemistry in formalin fixed cells: 1:100-500  
Immunohistochemistry in formalin fixed frozen section: 1:100-500  
Immunohistochemistry in paraffin section: 1:50-200  
Enzyme-linked Immunosorbent Assay: 1:100-200  
Optimal working dilutions must be determined by end user.

---

Restrictions: For Research Use only

---

## Handling

---

Format: Liquid

---

Concentration: Lot specific

---

Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02 % NaN<sub>3</sub>, 50 % glycerol.

---

Preservative: Sodium azide

---

Precaution of Use: **WARNING:** Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.

---

Handling Advice: Avoid repeated freeze/thaw cycles

---

Storage: 4 °C

---

Storage Comment: Store at 2-8 °C for one month. Aliquot and store at -80 °C for 12 months.

---

Expiry Date: 12 months

---