

## Datasheet for ABIN1176169 **anti-LSR antibody (FITC)**



[Go to Product page](#)

### Overview

|              |                                                                                                          |
|--------------|----------------------------------------------------------------------------------------------------------|
| Quantity:    | 200 µL                                                                                                   |
| Target:      | LSR                                                                                                      |
| Reactivity:  | Human                                                                                                    |
| Host:        | Rabbit                                                                                                   |
| Clonality:   | Polyclonal                                                                                               |
| Conjugate:   | This LSR antibody is conjugated to FITC                                                                  |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC),<br>Immunofluorescence (IF) |

### Product Details

|               |                                                                                                                                                                              |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Purpose:      | FITC-Linked Polyclonal Antibody to Lipolysis Stimulated Lipoprotein Receptor (LSR)                                                                                           |
| Immunogen:    | The antibody is a rabbit polyclonal antibody raised against LSR conjugated to fitc.                                                                                          |
| Isotype:      | IgG                                                                                                                                                                          |
| Specificity:  | The antibody is a rabbit polyclonal antibody raised against LSR. It has been selected for its ability to recognize LSR in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography                                                                                       |

### Target Details

|                   |                                                                            |
|-------------------|----------------------------------------------------------------------------|
| Target:           | LSR                                                                        |
| Alternative Name: | Lipolysis Stimulated Lipoprotein Receptor ( <a href="#">LSR Products</a> ) |

## Target Details

|             |                                                                                                      |
|-------------|------------------------------------------------------------------------------------------------------|
| Background: | LISCH7, ILDR3, LISCH, Lipolysis-Stimulated Remnant, Immunoglobulin-Like Domain Containing Receptor 3 |
|-------------|------------------------------------------------------------------------------------------------------|

## Application Details

|                    |                                                                                                                                                                                                                                                                                                                                     |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Application Notes: | Western blotting: 0.2-2 µg/mL, 1:250-2500 Immunohistochemistry: 5-20 µg/mL, 1:25-100 Immunocytochemistry: 5-20 µg/mL, 1:25-100 Optimal working dilutions must be determined by end user.                                                                                                                                            |
| Comment:           | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions:      | For Research Use only                                                                                                                                                                                                                                                                                                               |

## Handling

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Format:            | Liquid                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Concentration:     | 500 µg/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Buffer:            | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Preservative:      | Sodium azide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Precaution of Use: | WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing. |
| Handling Advice:   | Avoid repeated freeze/thaw cycles                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Storage:           | 4 °C, -20 °C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Storage Comment:   | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.                                                                                                                                                                                                                                                                                                                                                                          |
| Expiry Date:       | 12 months                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |