

Datasheet for ABIN118764

anti-L-Selectin antibody (PE)



_					
	W	0	rv	10	W

Overview		
Quantity:	100 tests	
Target:	L-Selectin (SELL)	
Reactivity:	Chemical	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This L-Selectin antibody is conjugated to PE	
Application:	Flow Cytometry (FACS)	
Product Details		
Immunogen:	PHA stimulated lymphoblasts. Spleen cells from immunised BALB/c mice were fused with cells	
	of the mouse NS1 myeloma cell line.	
Clone:	FMC46	
Isotype:	lgG2b	
Specificity:	This antibody recognizes CD62L, also known a L-selectin.	
Purification:	Affinity chromatography on Protein G	
Target Details		
Target:	L-Selectin (SELL)	
Alternative Name:	CD62L / L-Selectin (SELL Products)	
Target Type:	Chemical	

Target Details

Storage:

Background:	CD62L is a 74-95? kDa member of the selectin family of adhesion receptors, which acts as a				
	ligand for both CD62-P (P-selectin) and CD62E (E-selectin). Human CD62L is constitutively				
	expressed on most leucocytes including monocytes, granulocytes, lymphocytes, NK cells, bone				
	marrow myeloid progenitor cells and on a subset of thymocytes. CD62L plays an important role				
	in leucocyte tethering and rolling on the endothelial cell surface and for the homing of naive				
	lymphocytes to lymph nodes and Peyers patches via HEV. Neutrophils require a constant				
	supply of this molecule on the cell surface for migration into peripheral tissues and adhesion to				
	activated endothelium at sites of inflammation, where CD62L is rapidly shed as soluble L-				
	selectin, but surface expression still remains. The expression of CD62L is down regulated on				
	lymphocytes and neutrophils by PMA stimulation.Synonyms: CD62 antigen-like family member				
	L, LAM-1, LECAM1, LNHR, LYAM1, Leu-8, Leukocyte adhesion molecule 1, Leukocyte surface				
	antigen Leu-8, Leukocyte-endothelial cell adhesion molecule 1, Lymph node homing receptor,				
	SELL, TQ1, gp90-MEL				
Gene ID:	6402				
NCBI Accession:	NP_000646				
UniProt:	P14151				
Application Details					
Application Notes:	Flow Cytometry.				
	Other applications not tested.				
	Optimal dilutions are dependent on conditions and should be determined by the user.				
Restrictions:	For Research Use only				
Handling					
Reconstitution:	Restore with 1 mL distilled water.				
Buffer:	PBS, pH 7.4 containing 0.09 % Sodium Azide and 1 % Bovine Serum Albumin				
Preservative:	Sodium azide				
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which				
	should be handled by trained staff only.				
Handling Advice:	Avoid repeated freezing and thawing. Dilute only prior to immediate use				

4 °C/-20 °C

Storage Comment:

Store the antibody at 2-8 °C for one month or (in aliquots)at -20 °C for longer.