antibodies - online.com







Histone H1 Protein (AA 42-95) (GST tag)



Image



| () | ve | K\ / | | |
|-----|--------|------|----|----|
| | \cup | 1 V/ | Щ. | V۷ |
| | | | | |

| Quantity: | 10 μg |
|-------------------------------|---|
| Target: | Histone H1 (H1F0) |
| Protein Characteristics: | AA 42-95 |
| Origin: | Human |
| Source: | Wheat germ |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This Histone H1 protein is labelled with GST tag. |
| Application: | ELISA, Western Blotting (WB), Affinity Purification (AP), Antibody Array (AA) |

Product Details

| Purpose: | H1F0 (Human) Recombinant Protein (Q01) |
|------------------|--|
| Sequence: | RAGSSRQSIQ KYIKSHYKVG ENADSQIKLS IKRLVTTGVL KQTKGVGASG SFRL |
| Characteristics: | Human H1F0 partial ORF (NP_005309.1, 42 a.a 95 a.a.) recombinant protein with GST-tag at N-terminal. |
| Purification: | in vitro wheat germ expression system |

Target Details

| Target: | Histone H1 (H1F0) |
|-------------------|---|
| Alternative Name: | H1F0 (H1F0 Products) |
| Background: | Full Gene Name: H1 histone family, member 0 |

Target Details

| | Synonyms: H10,H1FV,MGC5241 |
|-----------------|----------------------------|
| Gene ID: | 3005 |
| NCBI Accession: | NM_005318 |

Application Details

| Application Notes: | Optimal working dilution should be determined by the investigator. | |
|--------------------|--|--|
| Comment: | Preparation method: in vitro, wheat germ expression system | |
| | Product Quality tested by: 12.5% SDS-PAGE Stained with Coomassie Blue. | |
| Restrictions: | For Research Use only | |

Handling

| Buffer: | 50 mM Tris-HCI, 10 mM reduced Glutathione, pH =8.0 in the elution buffer. |
|------------------|---|
| Handling Advice: | Aliquot to avoid repeated freezing and thawing. |
| Storage: | -80 °C |
| Storage Comment: | Best use within three months from the date of receipt of this protein. |

Images




Image 1.