



[Go to Product page](#)

Datasheet for ABIN1321215

SPOCK2/Testican 2 Protein (AA 23-424) (GST tag)

1 Image

Overview

Quantity:	10 µg
Target:	SPOCK2/Testican 2 (SPOCK2)
Protein Characteristics:	AA 23-424
Origin:	Human
Source:	Wheat germ
Protein Type:	Recombinant
Purification tag / Conjugate:	This SPOCK2/Testican 2 protein is labelled with GST tag.
Application:	Western Blotting (WB), ELISA, Affinity Purification (AP), Antibody Array (AA)

Product Details

Purpose:	SPOCK2 (Human) Recombinant Protein (P01)
Sequence:	EGDAKGLKEG ETPGNFMEDE QWLSSISQYS GKIKHWNRF R DEVEDDYIKS WEDNQQGDEA LDTTKDPCQK VKCSRHKVCI AQGYQRAMCI SRKKLEHRIK QPTVKLHGK DSICKPCHMA QLASVCGSDG HTYSSVCKLE QQACLSSKQL AVRCEGPCPC PTEQAATSTA DGKPETCTGQ DLADLGDRLR DWFQLHENS KQNGSASSVA GPASGLDKSL GASCKDSIGW MFSKLDTSAD LFLDQTELA A INLDKYEVC I RPFNSCDTY KDGRVSTAEW CFCFWREKPP CLAELERIQ I QEA AKKPGI FIPSCDE DGY YRKMQCDQSS GDCWCVDQLG LETGT RTHG SPDCDDIVGF SGDFGSGVGW EDEEEKETEE AGEEAEEEEG EAGEADDGGY IW
Characteristics:	Human SPOCK2 full-length ORF (AAH23558, 23 a.a. - 424 a.a.) recombinant protein with GST-tag at N-terminal.
Purification:	in vitro wheat germ expression system

Target Details

Target:	SPOCK2/Testican 2 (SPOCK2)
Alternative Name:	SPOCK2 (SPOCK2 Products)
Background:	Full Gene Name: sparco/osteonectin, cwcv and kazal-like domains proteoglycan (testican) 2 Synonyms: FLJ97039,testican-2
Gene ID:	9806
Pathways:	Glycosaminoglycan Metabolic Process


Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Comment:	Preparation method: in vitro, wheat germ expression system Product Quality tested by: 12.5% SDS-PAGE Stained with Coomassie Blue.
Restrictions:	For Research Use only

Handling

Buffer:	50 mM Tris-HCl, 10 mM reduced Glutathione, pH =8.0 in the elution buffer.
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-80 °C
Storage Comment:	Best use within three months from the date of receipt of this protein.

Images



SDS-PAGE

Image 1.