



[Go to Product page](#)

Datasheet for ABIN1323495

TRAF2 Protein (AA 1-501) (GST tag)

1 Image

Overview

Quantity:	10 µg
Target:	TRAF2
Protein Characteristics:	AA 1-501
Origin:	Human
Source:	Wheat germ
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRAF2 protein is labelled with GST tag.
Application:	Western Blotting (WB), ELISA, Antibody Array (AA), Affinity Purification (AP)

Product Details

Purpose:	TRAF2 (Human) Recombinant Protein (P01)
Sequence:	MAAASVTPPG SLELLQPGFS KTLGKLEA KYLCSACRNV LRRPFQAQCG HRYCSFCLAS ILSSGPQNCA ACVHEGIYEE GISILESSA FPDNAARREV ESLPAVCPSD GCTWKGTLKE YESCHEGRCP LMLTECPACK GLVRLGEKER HLEHECPERS LSCRHCRAPC CGADVKAHHE VCPKFPLTCD GCGKKKIPRE KFQDHVKTCG KCRVPCRFHA IGLETVEGE KQQEHEVQWL REHLAMLLSS VLEAKPLLGD QSHAGSELLQ RCESLEKTA TFENIVCVLN REVERVAMTA EACSRQHRLD QDKIEALSSK VQQLERSIGL KDLAMADLEQ KVLEMEASTY DGVFIWKISD FARKRQEAVA GRIPAIFSPA FYTSRYGYKM CLRIYLNLDG TGRGTHLSLF FVVMKGPNDA LLRWPFNQKV TLMMLDQNNR EHVIDAFRPD VTSSSFQRPV NDMNIASGCP LFCPVSKMEA KNSYVRDDAI FIKAIVDLTG L
Characteristics:	Human TRAF2 full-length ORF (AAH43492, 1 a.a. - 501 a.a.) recombinant protein with GST-tag at N-terminal.

Product Details

Purification: in vitro wheat germ expression system

Target Details

Target: TRAF2

Alternative Name: TRAF2 ([TRAF2 Products](#))

Background: Full Gene Name: TNF receptor-associated factor 2
Synonyms: MGC:45012,TRAP,TRAP3

Gene ID: 7186

Pathways: [NF-kappaB Signaling](#), [Apoptosis](#), [Caspase Cascade in Apoptosis](#), [Regulation of Leukocyte Mediated Immunity](#), [Positive Regulation of Immune Effector Process](#), [Production of Molecular Mediator of Immune Response](#), [Positive Regulation of Endopeptidase Activity](#), [Hepatitis C](#), [Unfolded Protein Response](#), [S100 Proteins](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Comment: Preparation method: in vitro, wheat germ expression system
Product Quality tested by: 12.5% SDS-PAGE Stained with Coomassie Blue.

Restrictions: For Research Use only

Handling

Buffer: 50 mM Tris-HCl, 10 mM reduced Glutathione, pH =8.0 in the elution buffer.

Handling Advice: Aliquot to avoid repeated freezing and thawing.

Storage: -80 °C

Storage Comment: Best use within three months from the date of receipt of this protein.




Image 1.